

Datasheet: AHP784B

Description:	RABBIT ANTI HUMAN MCP-1:Biotin	
Specificity:	MCP-1	
Other names:	CCL2	
Format:	Biotin	
Product Type:	Polyclonal Antibody	
Isotype:	Polyclonal IgG	
Quantity:	50 μg	

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry				
Immunohistology - Frozen			•	
Immunohistology - Paraffin			•	
ELISA	•			0.25 - 1.0ug/ml
Immunoprecipitation			•	
Western Blotting				0.1 - 0.2ug/ml

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human
Product Form	Purified IgG conjugated to Biotin - Iyophilised
Reconstitution	Reconstitute with 0.5ml sterile PBS containing 1% Bovine Serum Albumin. Care should be taken during reconstitution as the protein may appear as a film at the bottom of the vial. Bio-Rad recommend that the vial is gently mixed after reconstitution. For long term storage the addition of 0.09% sodium azide is recommended.

Antiserum Preparation Antisera to human MCP-1 were raised by repeated immunisations of rabbitts with highly purified antigen. Purified IgG prepared by affinity chromatography.

Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	None present.
Approx. Protein Concentrations	IgG concentration 0.1 mg/ml after reconstitution.

Immunogen	Recombinant human MCP-1 (PHP061).
External Database Links	UniProt: P13500 Related reagents Entrez Gene: 6347 CCL2 Related reagents
Synonyms	MCP1, SCYA2
Specificity	Rabbit anti Human MCP-1 antibody recognizes human MCP-1 (Monocyte Chemoattractant Protein 1), otherwise known as CCL2, a 76 amino acid CC chemokine which acts as a chemoattractant for monocytes, basophils, activated T cells and NK cells, through binding with the seven-transmembrane G protein-coupled receptor, CCR2.
	The recruitment of mononuclear cells by MCP-1, has established this chemokine as an important factor in innate immunity, implicated in the pathogenesis of inflammatory diseases such as rheumatoid arthritis, multiple sclerosis, uveitis and bronchial asthma. Increasing studies have also linked MCP-1 with the polarization of activated T cells into the T helper 2 (Th2) subset, revealing a role for MCP-1 in the adaptive immune response.
	Rabbit anti Human MCP-1 antibody has been successfully used as a detection reagent in the development of a sensitive ELISA assay for the evaluation of MCP-1 expression in conjunction with Mouse anti Human MCP-1, clone 2.2-4A4-1A11 (MCA2486) and recombinant human MCP-1 (PHP061) as a calibration reagent.
ELISA	This product may be used in a direct ELISA or as a detection reagent in a sandwich ELISA together with either <u>AHP784</u> or <u>MCA2486</u> as the capture reagent and <u>PHP061</u> as the standard
Western Blotting	This product may be used under either reducing or non-reducing conditions with <u>PHP061</u> as the positive control.
Further Reading	1. Banisor, I. <i>et al.</i> (2005) Involvement of beta-chemokines in the development of inflammatory demyelination. J Neuroinflammation. 2 (1): 7.
Storage	Prior to reconstitution store at +4°C. After reconstitution store at -20°C. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Shelf Life	12 months from date of reconstitution.
Health And Safety Information	Material Safety Datasheet documentation #10162 available at: 10162: https://www.bio-rad-antibodies.com/uploads/MSDS/10162.pdf
Regulatory	For research purposes only

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

Printed on 02 May 2018

© 2018 Bio-Rad Laboratories Inc | Legal | Imprint