

Datasheet: PHP215

Description:	RECOMBINANT HUMAN CD120b	
Name:	CD120b	
Other names:	TNF-R2	
Format:	Rec. Protein	
Product Type:	Recombinant Protein	
Quantity:	20 μg	

P20333

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
ELISA	-			0.2 - 0.4 ng/well
Western Blotting	-			1.5 - 3.0 ng/lane
Functional Assavs				0.125ug/ml

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human	
Product Form	Purified recombinant protein - lyophilised	
Reconstitution	Reconstitute with 0.2ml distilled water. For extended storage the addition of 0.1% BSA is recommended.	
	Care should be taken during reconstitution as the protein may appear as a film at the bottom of the vial. Bio-Rad recommend that the vial is gently mixed after reconstitution.	
Preparation	Purified recombinant CD120b expressed in <i>E.coli</i>	
Buffer Solution	Phosphate buffered saline.	
Preservative Stabilisers	None present	
Endotoxin Level	<1EU/ug	
Approx. Protein Concentrations	0.1mg/ml after reconstitution.	
External Database Links	UniProt:	

Related reagents

Entrez Gene:

7133 TNFRSF1B Related reagents

Product Information Recombinant human CD120b is an 18.9 kDa peptide comprised of 174 representing the soluble form of CD120b. Soluble human CD120b, otherwise receptor type II (sTNFRII), is a member of the tumour necrosis factor resuperfamily, produced by proteolytic cleavage of the membrane form by TACE. CD120b plays a key role in regulating the inflammatory response, acting tumour necrosis factor alpha (TNF-alpha) and TNF-beta, and is also invoicell death and anti-viral activity. sTNFRII acts as an inhibitor of TNF-alph by acting as a decoy receptor. Molecular Weight 18.9kD (174 amino acid residues) Activity Determined by its inhibitory effect of the TNF-alpha mediated cytotoxicid cells. The ED ₅₀ for this effect in the presence of 0.25 ng/ml of recombination is 0.125 µg/ml. Purity >98% by SDS PAGE and HPLC analysis ELISA Recombinant human CD120b may be used as a standard for ELISA appl purified human CD120b antibody (AHP1833) or a biotinylated human CD (AHP1833B). Western Blotting Recombinant human CD120b may be used as the positive control in Western Blotting Recombinant human CD120b may be used as the positive control in Western Blotting Recombinant human CD120b may be used as the positive control in Western Blotting Recombinant human CD120b may be used as the positive control in Western Blotting Recombinant human CD120b may be used as the positive control in Western Blotting Recombinant human CD120b may be used as the positive control in Western Blotting Recombinant human CD120b may be used as the positive control in Western Blotting Recombinant human CD120b may be used as the positive control in Western Blotting Recombinant human CD120b may be used as the positive control in Western Blotting Recombinant human CD120b may be used. Activity Recombinant human CD120b may be used. As the positive control in Western Blotting Recombinant human CD120b may be used. As the positive recommended. This product should be Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-f		
representing the soluble form of CD120b. Soluble human CD120b, otherwise receptor type II (sTNFRII), is a member of the tumour necrosis factor re superfamily, produced by proteolytic cleavage of the membrane form by TACE. CD120b plays a key role in regulating the inflammatory response, acting tumour necrosis factor alpha (TNF-alpha) and TNF-beta, and is also invo cell death and anti-viral activity. sTNFRII acts as an inhibitor of TNF-alph by acting as a decoy receptor. Molecular Weight 18.9kD (174 amino acid residues) Activity Determined by its inhibitory effect of the TNF-alpha mediated cytotoxiciticles. The ED ₅₀ for this effect in the presence of 0.25 ng/ml of recombination is 0.125 µg/ml. Purity >98% by SDS PAGE and HPLC analysis ELISA Recombinant human CD120b may be used as a standard for ELISA appleurified human CD120b antibody (AHP1833) or a biotinylated human CD (AHP1833B). Western Blotting Recombinant human CD120b may be used as the positive control in Western Blotting Recombinant human CD120b may be used as the positive control in Western Blotting Recombinant human CD120b may be used as the positive control in Western Blotting Recombinant human CD120b may be used as the positive control in Western Blotting Recombinant human CD120b may be used as the positive control in Western Blotting Recombinant human CD120b may be used as the positive control in Western Blotting Recombinant human CD120b may be used as the positive control in Western Blotting Recombinant human CD120b may be used as the positive control in Western Blotting Recombinant human CD120b may be used as the positive control in Western Blotting Recombinant human CD120b may be used as the positive control in Western Blotting Recombinant human CD120b may be used as the positive control in Western Blotting Recombinant human CD120b may be used as the positive control in Western Blotting Recombinant human CD120b may be used as the positive control in Western Blotting Recombinant human CD120b may be used as the positive con	nonyms TN	
tumour necrosis factor alpha (TNF-alpha) and TNF-beta, and is also invo cell death and anti-viral activity. sTNFRII acts as an inhibitor of TNF-alph by acting as a decoy receptor. Molecular Weight 18.9kD (174 amino acid residues) Activity Determined by its inhibitory effect of the TNF-alpha mediated cytotoxicil cells. The ED ₅₀ for this effect in the presence of 0.25 ng/ml of recombina is 0.125 µg/ml. Purity >98% by SDS PAGE and HPLC analysis ELISA Recombinant human CD120b may be used as a standard for ELISA appl purified human CD120b antibody (AHP1833) or a biotinylated human CD (AHP1833B). Western Blotting Recombinant human CD120b may be used as the positive control in Western applications with either a purified human CD120b antibody (AHP1833) or CD120b antibody (AHP1833B). Storage Prior to reconstitution store at +4°C. After reconstitution store at +2°C. After reconstitution store at +2°C. Storage in frost-free freezers is not recommended. This product should be Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. This product should be Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. This product should be Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. This product should be Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. This product should be Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. This product should be Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. This product should be Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. This product should be a freezer from the freezer freezer freezers	re _l re su	nan CD120b, otherwise known as sTNF r necrosis factor receptor (TNFR)
Activity Determined by its inhibitory effect of the TNF-alpha mediated cytotoxicit cells. The ED ₅₀ for this effect in the presence of 0.25 ng/ml of recombination is 0.125 μg/ml. Purity >98% by SDS PAGE and HPLC analysis ELISA Recombinant human CD120b may be used as a standard for ELISA appl purified human CD120b antibody (AHP1833) or a biotinylated human CD (AHP1833B). Western Blotting Recombinant human CD120b may be used as the positive control in Western applications with either a purified human CD120b antibody (AHP1833) or CD120b antibody (AHP1833B). Storage Prior to reconstitution store at +4°C. After reconstitution store at +2°C. Storage in frost-free freezers is not recommended. This product should be Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. This product should be Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. This product should be Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. This product should be Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. This product should be Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. This product should be Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. This product should be Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. This product should be Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers in frost-free fr	tur ce	eta, and is also involved in programmed
cells. The ED ₅₀ for this effect in the presence of 0.25 ng/ml of recombinatis 0.125 μg/ml. Purity >98% by SDS PAGE and HPLC analysis ELISA Recombinant human CD120b may be used as a standard for ELISA applourified human CD120b antibody (AHP1833) or a biotinylated human CD (AHP1833B). Western Blotting Recombinant human CD120b may be used as the positive control in Western applications with either a purified human CD120b antibody (AHP1833) or CD120b antibody (AHP1833B). Storage Prior to reconstitution store at +4°C. After reconstitution store at -20°C. Storage in frost-free freezers is not recommended. This product should be Avoid repeated freezing and thawing as this may denature the antibody. Scontain a precipitate we recommend microcentrifugation before use. Shelf Life 3 months from date of reconstitution. Material Safety Datasheet Documentation #10527 available at: https://www.bio-rad-antibodies.com/uploads/MSDS/10527.pdf	lecular Weight 18	
Recombinant human CD120b may be used as a standard for ELISA appl purified human CD120b antibody (AHP1833) or a biotinylated human CD (AHP1833B). Recombinant human CD120b may be used as the positive control in Western Blotting Recombinant human CD120b may be used as the positive control in Western Blotting Recombinant human CD120b may be used as the positive control in Western Blotting Recombinant human CD120b may be used as the positive control in Western Blotting Recombinant human CD120b may be used as the positive control in Western Blotting Recombinant human CD120b may be used as a standard for ELISA appl purified human CD Recombinant CD Recombinant human CD120b may be used as a standard for ELISA appl purified human CD Recombinant CD Recombinant CD Recombinant human CD120b may be used as a standard for ELISA appl purified human CD Recombinant CD Recombinant CD Recombinant CD120b antibody (AHP1833) or CD120b antibody (AHP1833B). Storage Prior to reconstitution store at +4°C. After	ce	
purified human CD120b antibody (AHP1833) or a biotinylated human CD (AHP1833B). Recombinant human CD120b may be used as the positive control in Western Blotting Recombinant human CD120b may be used as the positive control in Western Blotting Recombinant human CD120b may be used as the positive control in Western Blotting Recombinant human CD120b may be used as the positive control in Western Blotting Recombinant human CD120b may be used as the positive control in Western Blotting Recombinant human CD120b may be used as the positive control in Western Blotting Recombinant CD120b may be used as the positive control in Western Blotting Recombinant CD120b may be used as the positive control in Western Blotting Recombinant CD120b may be used as the positive control in Western Blotting Recombinant CD120b may be used as the positive control in Western Blotting Recombinant CD120b may be used as the positive control in Western Blotting Recombinant CD120b may be used as the positive control in Western Blotting Recombinant CD120b may be used as the positive control in Western Blotting Recombinant CD120b may be used as the positive control in Western Blotting Recombinant CD120b may be used as the positive control in Western Blotting Recombinant CD120b may be used as the positive control in Western Blotting Recombinant CD120b may be used as the positive control in Western Blotting Recombinant CD120b may be used as the positive control in Western Blotting Recombinant CD120b may be used as the positive control in Western Blotting Recombinant CD120b may be used as the positive control in Western Blotting Recombinant CD120b may be used as the positive control in Western Blotting Recombinant CD120b may be used as the positive control in Western Blotting Recombination CD120b may be used as the positive control in Western Blotting Recombinant CD120b may be used as the positive control in Western Blotting Recombination CD120b may be used as the positive control in Western Blotting Recombination CD120b may be used as the positive c	rity >9	
applications with either a <u>purified human CD120b antibody</u> (AHP1833) or <u>CD120b antibody</u> (AHP1833B). Storage Prior to reconstitution store at +4°C. After reconstitution store at -20°C. Storage in frost-free freezers is not recommended. This product should be Avoid repeated freezing and thawing as this may denature the antibody. Storage in a precipitate we recommend microcentrifugation before use. Shelf Life 3 months from date of reconstitution. Health And Safety Material Safety Datasheet Documentation #10527 available at: https://www.bio-rad-antibodies.com/uploads/MSDS/10527.pdf	pu	
After reconstitution store at -20°C. Storage in frost-free freezers is not recommended. This product should be Avoid repeated freezing and thawing as this may denature the antibody. Storage in a precipitate we recommend microcentrifugation before use. Shelf Life 3 months from date of reconstitution. Health And Safety Information Material Safety Datasheet Documentation #10527 available at: https://www.bio-rad-antibodies.com/uploads/MSDS/10527.pdf	ар	_
Health And Safety Information Material Safety Datasheet Documentation #10527 available at: https://www.bio-rad-antibodies.com/uploads/MSDS/10527.pdf	Af Sto Av	ature the antibody. Should this product
Information https://www.bio-rad-antibodies.com/uploads/MSDS/10527.pdf	elf Life 3 i	
B. Litter Formand with a second section	•	
Regulatory For research purposes only	gulatory Fo	

Related Products

Recommended Useful Reagents

RABBIT ANTI HUMAN CD120b (AHP1833)
RABBIT ANTI HUMAN CD120b:Biotin (AHP1833B)

America

North & South Tel: +1 800 265 7376 Fax: +1 919 878 3751 Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_us@bio-rad.com Email: antibody_sales_uk@bio-rad.com Email: antibody_sales_de@bio-rad.com

'M257605:140610'

Printed on 10 Jun 2017

© 2017 Bio-Rad Laboratories Inc | Legal | Imprint