

# Datasheet: 0400-0042

| Description:  | MOUSE ANTI BOVINE OSTEOCALCIN |
|---------------|-------------------------------|
| Specificity:  | OSTEOCALCIN                   |
| Other names:  | BONE GLA PROTEIN              |
| Format:       | Purified                      |
| Product Type: | Monoclonal Antibody           |
| Clone:        | 3H8H12D2A12F12                |
| Isotype:      | lgG2a                         |
| Quantity:     | 0.2 mg                        |
|               |                               |

## **Product Details**

| Applications                      | This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol |             |              |                         |                              |  |
|-----------------------------------|--|-------------|--------------|-------------------------|------------------------------|--|
|                                   | recommendations, please v  |             |              |                         |                              |  |
|                                   | ELISA  | Yes         | No           | Not Determined          | Suggested Dilution           |  |
|                                   | Where this product has not   | been test   | ed for use i | n a particular techniqi | ue this does not necessarily |  |
|                                   | exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is   |             |              |                         |                              |  |
|                                   | recommended that the user  | titrates th | ne product f | or use in their own sy  | stem using the appropriate   |  |
|                                   | negative/positive controls.  |             |              |                         |                              |  |
| Target Species                    | Bovine   |             |              |                         |                              |  |
| Species Cross                     | Reacts with: Rat, Rabbit, H  | uman. Pio   | l            |                         |                              |  |
| Reactivity                        | <b>N.B.</b> Antibody reactivity and  | -           |              | nay vary between spe    | ecies.                       |  |
| -                                 | , , , , , , , , , , , , , , , , , , ,  | 0           |              |                         |                              |  |
| Product Form                      | Purified IgG - liquid  |             |              |                         |                              |  |
| Preparation                       | Purified IgG prepared by affinity chromatography on Protein G<br>Phosphate buffered saline   |             |              |                         |                              |  |
| Buffer Solution                   |  |             |              |                         |                              |  |
| Preservative<br>Stabilisers       | 0.09% Sodium Azide (NaN <sub>3</sub>   | ;)          |              |                         |                              |  |
| Carrier Free                      | Yes  |             |              |                         |                              |  |
| Approx. Protein<br>Concentrations | IgG concentration 1.0 mg/ml  |             |              |                         |                              |  |
| Immunogen                         | Native bovine osteocalcin.   |             |              |                         |                              |  |
| External Database<br>Links        | UniProt:   |             |              |                         |                              |  |

P02820 Related reagents

281646 BGLAP Related reagents

| Specificity                      | <b>Mouse anti Bovine Osteocalcin antibody, clone 3H8H12D2A12F12</b> recognizes intact human and bovine osteocalcin in a "2 site" assay and reacts with osteocalcin fragments corresponding to amino acids 15-31 and 20-43 of the native molecule. It does not recognize fragments representing amino acids 1-19 or 7-19 or intact bovine osteocalcin.  |
|----------------------------------|--|
|                                  | Osteocalcin (Bone Gla Protein) is a 49 amino acid single chain vitamin K dependent protein (MW 5.8 kDa), made by osteoblasts that is a major component of the non-collagenous bone matrix. Serum osteocalcin is elevated in diseases characterized by increased bone turnover such as osteoporosis, hyperparathyroidism and Paget's disease, and low in conditions associated with low bone turnover such as hypoparathyroidism and growth hormone deficiency. |
| Storage                          | Store at +4°C or at -20°C if preferred.<br>Storage in frost-free freezers is not recommended.<br>This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature<br>the antibody. Should this product contain a precipitate we recommend microcentrifugation before<br>use.  |
| Shelf Life                       | 18 months from date of despatch.   |
| Health And Safety<br>Information | Material Safety Datasheet documentation #10040 available at:<br>10040: <u>https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf</u>  |
| Regulatory                       | For research purposes only   |

## **Related Products**

### **Recommended Secondary Antibodies**

| Goat Anti Mouse IgG (STAR76)  | RPE  |  |  |  |  |
|---|--|--|--|--|--|
| Goat Anti Mouse IgG IgA IgM (STAR87) <u>Alk. Phos.</u> , <u>HRP</u> |  |  |  |  |  |
| Goat Anti Mouse IgG (H/L) (STAR117)                                 | Alk. Phos., DyLight®488, DyLight®549,<br>DyLight®649, DyLight®680, DyLight®800,<br>FITC, HRP |  |  |  |  |
| Rabbit Anti Mouse IgG (STAR9)                                       | <u>FITC</u>  |  |  |  |  |
| Goat Anti Mouse IgG (STAR77)  | HRP  |  |  |  |  |
| Rabbit Anti Mouse IgG (STAR12)                                      | RPE  |  |  |  |  |
| Goat Anti Mouse IgG (Fc) (STAR120)                                  | FITC, HRP  |  |  |  |  |
| Rabbit Anti Mouse IgG (STAR8)                                       | DyLight®800  |  |  |  |  |
| Goat Anti Mouse IgG (STAR70)  | <u>FITC</u>  |  |  |  |  |
| Human Anti Mouse IgG2a (HCA037)                                     | FITC, HRP  |  |  |  |  |
| Rabbit Anti Mouse IgG (STAR13)                                      | HRP  |  |  |  |  |
| December ded Negetive Centrels                                      |  |  |  |  |  |

### **Recommended Negative Controls**

#### MOUSE IgG2a NEGATIVE CONTROL (MCA929)

| North & South | Tel: +1 800 265 7376 | Worldwide | Tel: +44 (0)1865 852 700 | Europe | Tel: +49 (0) 89 8090 95 21 |
|---------------|----------------------|-----------|--------------------------|--------|----------------------------|
| America       | Fax: +1 919 878 3751 |           | Fax: +44 (0)1865 852 739 |        | Fax: +49 (0) 89 8090 95 50 |

'M315043:180503'

#### Printed on 05 May 2018

© 2018 Bio-Rad Laboratories Inc | Legal | Imprint