

Datasheet: 1406-1460

| Description:RABBIT ANTI HUMAN BMP-9Specificity:BMP-9Other names:GROWTH DIFFERENTIATION FACTORFormat:PurifiedProduct Type:Polyclonal AntibodyIsotype:Polyclonal IgGQuantity:1 ml | | |
|---|---------------|--|
| Other names: GROWTH DIFFERENTIATION FACTOR Format: Purified Product Type: Polyclonal Antibody Isotype: Polyclonal IgG | Description: | RABBIT ANTI HUMAN BMP-9 |
| Format:PurifiedProduct Type:Polyclonal AntibodyIsotype:Polyclonal IgG | Specificity: | BMP-9 |
| Product Type: Polyclonal Antibody Isotype: Polyclonal IgG | Other names: | GROWTH DIFFERENTIATION FACTOR 2 |
| Isotype: Polyclonal IgG | Format: | Purified |
| | Product Type: | Polyclonal Antibody |
| Quantity: 1 ml | lsotype: | Polyclonal IgG |
| | Quantity: | 1 ml |

Product Details

| Applications | This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols. | | | | | |
|-----------------------------------|--|--------------------------|------------|----------------|--------------------|--|
| | | | | | | |
| | recommendation | rs, please visit www. | No | Not Determined | Suggested Dilution | |
| | Immunohistology - | | NO | Not Determined | Suggested Dilution | |
| | | | | | | |
| | Immunohistology - | Paramin | | | 4/2000 4/20000 | |
| | ELISA | | | | 1/2000 - 1/20000 | |
| | Western Blotting | | | | | |
| | Immunofluorescen | | | | | |
| | Where this product has not been tested for use in a particular technique this does not necessarily | | | | | |
| | exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using the appropriat negative/positive controls. | | | | | |
| Target Species | Human | | | | | |
| Product Form | Purified IgG - liq | uid | | | | |
| Preparation | Purified IgG pre | pared by affinity chro | omatograph | y on Protein G | | |
| Buffer Solution | Phosphate buffe | red saline | | | | |
| Preservative Stabilisers | 0.09% Sodium A | zide (NaN ₃) | | | | |
| Approx. Protein Concentrations | 5.0mg/ml | | | | | |
| Immunogen | Synthetic peptide corresponding to the amino acids 87 - 98 (CKDDMGVPTLKYH) of the native molecule conjugated to keyhole limpet haemocyanin. | | | | | |
| External Database Links | UniProt: Q9UK05 | Related reagents | | | | |

Entrez Gene:

| | 2658 GDF2 Related reagents |
|----------------------------------|---|
| Synonyms | BMP9 |
| Specificity | Rabbit anti Human BMP-9 antibody recognizes Human BMP9 (Bone Morphogenic Protein), a member of the TGF-beta superfamily. |
| | BMPs act through binding with a receptor complex consisting of type I and type II serine/threonine kinases, resulting ultimately in the activation of the Smad protein and mitogen-activated protein kinase (MAPK) signaling pathways. Several antagonist proteins, including, noggin, chordin, gremlin and follistatin, are responsible for modulating the signaling effects of BMPs, through the binding and blocking of receptor ligands, thereby preventing activation. |
| Storage | Store at +4°C or at -20°C if preferred. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use. |
| Shelf Life | 18 months from date of despatch. |
| Health And Safety Information | Material Safety Datasheet documentation available at: Material Safety Datasheet Documentation #10040 available at: https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf |
| Regulatory | For research purposes only |

Related Products

Recommended Secondary Antibodies

| Sheep Anti Rabbit IgG (STAR34) | <u>FITC</u> | | | | |
|---|--|--|--|--|--|
| Sheep Anti Rabbit IgG (STAR35) | RPE | | | | |
| Goat Anti Rabbit IgG (H/L) (STAR124 |) <u>HRP</u> | | | | |
| Goat Anti Rabbit IgG (Fc) (STAR121) Biotin, FITC, HRP | | | | | |
| Sheep Anti Rabbit IgG (2AB02) | Biotin | | | | |
| Sheep Anti Rabbit IgG (STAR36) | DyLight®488, DyLight®549, DyLight®649, | | | | |
| | DyLight®680, DyLight®800 | | | | |

Recommended Useful Reagents

ANTIGEN RETRIEVAL BUFFER, pH8.0 (BUF025A) ANTIGEN RETRIEVAL BUFFER, pH8.0 (BUF025C) TidyBlot™ WESTERN BLOT DETECTION REAGENT:HRP (STAR209P)

| North & South | Tel: +1 800 265 7376 | Worldwide | Tel: +44 (0)1865 852 700 | Europe |
|---------------|--------------------------------------|-----------|--------------------------------------|--------|
| America | Fax: +1 919 878 3751 | | Fax: +44 (0)1865 852 739 | |
| | Email: antibody_sales_us@bio-rad.com | | Email: antibody_sales_uk@bio-rad.com | |

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com

'M308691:170807'

Printed on 28 Jan 2018

© 2018 Bio-Rad Laboratories Inc | Legal | Imprint