

Datasheet: 1820-4700T

MOUSE ANTI HUMAN CD66e
CD66e
CEA
Purified
Monoclonal Antibody
CB30
lgG1
25 µg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry				
Immunohistology - Frozen				
Immunohistology - Paraffin (1)				1/100 - 1/200
ELISA				
Immunoprecipitation	•			
Western Blotting				

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using the appropriate negative/positive controls.

(1)This product requires protein digestion pre-treatment of paraffin sections e.g. pronase.

Target Species	Human
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein A.
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)
Carrier Free	Yes
Approx. Protein Concentrations	1.0 mg/ml

Immunogen	Human carcinoembryonic antigen.
External Database Links	UniProt: <u>P06731</u> <u>Related reagents</u> Entrez Gene: <u>1048</u> CEACAM5 <u>Related reagents</u>
Synonyms	CEA
Specificity	Mouse anti Human CD66e antibody, clone CB30 recognizes human CD66e, also known as carcinoembryonic antigen (CEA).
	CD66e is a member of the immunoglobulin supergene family that is mainly expressed on epithelial cells. CD66e may play a role in cancer cells metastasis, and has been used clinically as a tumor marker for early detection of disease.
Histology Positive Control Tissue	Adenocarcinoma of colon.
References	1. Horenstein, A.L. <i>et al.</i> (2003) Design and scaleup of downstream processing of monoclonal antibodies for cancer therapy: from research to clinical proof of principle. <u>J Immunol Methods. 275</u> (1-2): 99-112.
Further Reading	1. Thompson, J.A. <i>et al.</i> (1991) Carcinoembryonic antigen gene family: molecular biology and clinical perspectives. <u>J Clin Lab Anal. 5 (5): 344-66.</u>
Storage	Store at +4°C or at -20°C if preferred. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Shelf Life	18 months from date of despatch.
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: 10040: <u>https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf</u>
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (STAR76)	RPE				
Goat Anti Mouse IgG IgA IgM (STAR87) <u>Alk. Phos.</u> , <u>HRP</u>					
Goat Anti Mouse IgG (H/L) (STAR117)	Alk. Phos., DyLight®488, DyLight®549,				
	DyLight®649, DyLight®680, DyLight®800,				
	FITC, HRP				
Rabbit Anti Mouse IgG (STAR9)	<u>FITC</u>				
Goat Anti Mouse IgG (STAR77)	HRP				

Rabbit Anti Mouse IgG (STAR12)	<u>RPE</u>
Goat Anti Mouse IgG (Fc) (STAR120)	<u>FITC, HRP</u>
Rabbit Anti Mouse IgG (STAR8)	DyLight®800
Goat Anti Mouse IgG (STAR70)	<u>FITC</u>
Rabbit Anti Mouse IgG (STAR13)	<u>HRP</u>
Human Anti Mouse IgG1 (HCA036)	<u>HRP</u>

Worldwide

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL (MCA928)

 North & South
 Tel: +1 800 265 7376
 Worth

 America
 Fax: +1 919 878 3751
 Email: antibody_sales_us@bio-rad.com

 Tel: +44 (0)1865 852 700
 Europe

 Fax: +44 (0)1865 852 739
 Email: antibody_sales_uk@bio-rad.com

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com

'M315054:180503'

Printed on 05 May 2018

© 2018 Bio-Rad Laboratories Inc | Legal | Imprint