

Datasheet: 4108-7204

Description:	MOUSE ANTI HUMAN CD41/CD61
Specificity:	CD41/CD61
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	A10-33/1
Isotype:	IgG1
Quantity:	0.5 ml

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			▪	
Immunohistology - Frozen (1)	▪			1/100 - 1/400
Immunohistology - Paraffin		▪		
ELISA			▪	
Western Blotting	▪			
Immunofluorescence			▪	

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

(1)The epitope recognised by this antibody is reported to be sensitive to formaldehyde fixation and tissue processing. Bio-Rad recommends the use of acetone fixation for frozen sections.

Target Species	Human
Species Cross Reactivity	Reacts with: Bovine, Mouse N.B. Antibody reactivity and working conditions may vary between species.
Product Form	Purified IgG - lyophilised
Reconstitution	Reconstitute with 0.5ml distilled water Care should be taken during reconstitution as the protein may appear as a film at the bottom of the vial. Bio-Rad recommend that the vial is gently mixed after reconstitution.
Preparation	Purified IgG prepared by affinity chromatography
Buffer Solution	Phosphate buffered saline
Preservative	0.01% Thiomersal

Stabilisers	1.0% Bovine Serum Albumin
Approx. Protein Concentrations	IgG concentration 0.12 mg/ml after reconstitution.
Immunogen	Human melanoma cell lines.
External Database Links	<p>UniProt:</p> <p>P08514 Related reagents</p> <p>P05106 Related reagents</p> <p>Entrez Gene:</p> <p>3674 ITGA2B Related reagents</p> <p>3690 ITGB3 Related reagents</p>
Synonyms	GP2B, GP3A, ITGAB
Specificity	Mouse anti Human CD41/CD51 antibody, clone A10-33/1 recognizes endothelial cells in various cultures and organs (including lung, liver, gall bladder and skin). It is generally reactive with melanoma, including metastasizing melanomas and in carcinomas. It reacts strongly with purified GPIIb-IIIa which is expressed on platelets but not endothelial cells. Cross reactivity with nervous tissue has also been reported.
Histology Positive Control Tissue	Human Placenta
References	1. Brügggen, J. & Sorg, C. (1983) Detection of phenotypic differences on human malignant melanoma lines and their variant sublines with monoclonal antibodies. Cancer Immunol Immunother. 15 (3): 200-5.
Storage	Prior to reconstitution store at +4°C. After reconstitution store at +4°C or at -20°C if preferred. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Shelf Life	12 months from date of reconstitution.
Health And Safety Information	Material Safety Datasheet documentation #10512 available at: 10512: https://www.bio-rad-antibodies.com/uploads/MSDS/10512.pdf
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (STAR76...)	RPE
Goat Anti Mouse IgG IgA IgM (STAR87...)	Alk. Phos. , HRP
Rabbit Anti Mouse IgG (STAR9...)	FITC
Goat Anti Mouse IgG (STAR77...)	HRP

Rabbit Anti Mouse IgG (STAR12...) [RPE](#)
Goat Anti Mouse IgG (Fc) (STAR120...) [FITC](#), [HRP](#)
Rabbit Anti Mouse IgG (STAR8...) [DyLight®800](#)
Goat Anti Mouse IgG (STAR70...) [FITC](#)
Rabbit Anti Mouse IgG (STAR13...) [HRP](#)
Human Anti Mouse IgG1 (HCA036...) [HRP](#)
Goat Anti Mouse IgG (H/L) (STAR117...) [Alk. Phos.](#), [DyLight®488](#), [DyLight®549](#),
[DyLight®649](#), [DyLight®680](#), [DyLight®800](#),
[FITC](#), [HRP](#)

Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL \(MCA928\)](#)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

'M318924:180719'

Printed on 01 Aug 2018

© 2018 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)