

Datasheet: 6240-0354

Description:	MOUSE ANTI HUMAN BETA 2 MICROGLOBULIN
Specificity:	BETA 2 MICROGLOBULIN
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	B2M-01
Isotype:	IgG2a
Quantity:	0.25 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			
Immunohistology - Frozen			▪	
Immunohistology - Paraffin			▪	
ELISA	▪			
Immunoprecipitation			▪	
Western Blotting		▪		

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using the appropriate negative/positive controls.

Target Species	Human
Species Cross Reactivity	Does not react with: Mouse, Dog, Rabbit, Chicken, Bovine
Product Form	Ig fraction - liquid
Preparation	Ig fraction prepared from ascites by ammonium sulphate and caprylic acid precipitation
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)
Approx. Protein Concentrations	Ig concentration 1.0mg/ml
Immunogen	Beta-2 microglobulin from human urine

**External Database
Links**

UniProt:

[P61769](#) [Related reagents](#)

Entrez Gene:

[567](#) B2M [Related reagents](#)

Specificity

Mouse anti Human beta 2 Microglobulin antibody, clone B2M-01 recognizes native beta 2 microglobulin which is a component of MHC class I molecules, which are present on all nucleated cells. Levels of beta 2 microglobulin can be used to assess renal function in kidney transplant recipients. Also known as B2M, it has been suggested that this protein can be used as a prognostic marker for HIV infection.

References

1. Hilgert, I. *et al.* (1984) The Use of Murine Monoclonal Antibody B2M-01 for Detection and Purification of Human beta 2- microglobulin. [Folia Biologica \(Praha\) 30: 369-376.](#)

Storage

Store at +4°C or at -20°C if preferred.
Storage in frost-free freezers is not recommended.
This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

Shelf Life

18 months from date of despatch.

**Health And Safety
Information**

Material Safety Datasheet documentation #10040 available at:
10040: <https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf>

Regulatory

For research purposes only

Related Products

Recommended Secondary Antibodies

- Goat Anti Mouse IgG (STAR76...) [RPE](#)
- Goat Anti Mouse IgG IgA IgM (STAR87...) [Alk. Phos.](#), [HRP](#)
- Goat Anti Mouse IgG (H/L) (STAR117...) [Alk. Phos.](#), [DyLight@488](#), [DyLight@549](#),
[DyLight@649](#), [DyLight@680](#), [DyLight@800](#),
[FITC](#), [HRP](#)
- Rabbit Anti Mouse IgG (STAR9...) [FITC](#)
- Goat Anti Mouse IgG (STAR77...) [HRP](#)
- Rabbit Anti Mouse IgG (STAR12...) [RPE](#)
- Goat Anti Mouse IgG (Fc) (STAR120...) [FITC](#), [HRP](#)
- Rabbit Anti Mouse IgG (STAR8...) [DyLight@800](#)
- Goat Anti Mouse IgG (STAR70...) [FITC](#)
- Human Anti Mouse IgG2a (HCA037...) [FITC](#), [HRP](#)
- Rabbit Anti Mouse IgG (STAR13...) [HRP](#)

Recommended Negative Controls

[MOUSE IgG2a NEGATIVE CONTROL \(MCA929\)](#)

**North & South
America** Tel: +1 800 265 7376
Fax: +1 919 878 3751

Worldwide Tel: +44 (0)1865 852 700
Fax: +44 (0)1865 852 739

Europe Tel: +49 (0) 89 8090 95 21
Fax: +49 (0) 89 8090 95 50

'M246614:140325'

Printed on 02 May 2018
