

Datasheet: AAI22P

Description:	SHEEP ANTI BOVINE IgG2:HRP
Specificity:	lgG2
Format:	HRP
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Immunohistology - Frozen			•	
Immunohistology - Paraffin			•	
ELISA	-			1/10,000 - 1/100,000
Western Blotting			=	

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using the appropriate negative/positive controls.

Target Species	Bovine	
Product Form	Purified IgG conjugated to Horseradish Peroxidase (HRP) - liquid	
Antiserum Preparation	Antisera to bovine IgG2 were raised by repeated immunisation of she antigen. Purified IgG prepared by affinity chromatography.	eep with highly purified
Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	0.1% Proclin™ 300	
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml	
Immunogen	Purified bovine IgG2.	
Specificity	Sheep anti Bovine IgG2 polyclonal antibody recognizes bovine Ig	G2.
	No cross - reactivity with other bovine immunoglobulin classes is see This product may cross-react with IgG2 from other species.	n in immunoelectrophoresis.
References	1. Makepeace, B.L. et al. (2009) Immunisation with a multivalent, sul	ounit vaccine reduced patent

infection in a natural bovine model of Onchocerciasis during intense field exposure. <u>PLoS Negl.</u> Trop. Dis. 3: e544.

- 2. Colwell, D.D. & Goater, C.P. (2010) *Dicrocoelium dendriticum* in cattle from Cypress Hills, Canada: humoral response and preliminary evaluation of an ELISA. <u>Vet Parasitol. 174 (1-2): 162-5.</u>
- 3. Assad, A. *et al.* (2012) Immunophenotyping and characterization of BNP colostra revealed pathogenic alloantibodies of IgG1 subclass with specifity to platelets, granulocytes and monocytes of all maturation stages. Vet Immunol Immunopathol. 147: 25-34.
- 4. Agnes, J.T. *et al.* (2011) Identification of *Anaplasma marginale* Outer Membrane Protein Antigens Conserved between *A. marginale* Sensu Stricto Strains and the Live *A. marginale* subsp. centrale Vaccine Infect Immun. 79: 1311-8.
- 5. Lavoria, M.Á. *et al.* (2012) Avidity and subtyping of specific antibodies applied to the indirect assessment of heterologous protection against Foot-and-Mouth Disease Virus in cattle. <u>Vaccine.</u> 30: 6845-50.
- 6. Vordermeier, H.M. *et al.* (2003) Improved immunogenicity of DNA vaccination with mycobacterial HSP65 against bovine tuberculosis by protein boosting. <u>Vet Microbiol.</u> 93: 349-59.
- 7. Mansilla, F.C. *et al.* (2013) Dose-dependent immunogenicity of a soluble Neospora caninum tachyzoite-extract vaccine formulated with a soy lecithin/β-glucan adjuvant in cattle. <u>Vet Parasitol.</u> 197 (1-2): 13-21.
- 8. Panadero, R. *et al.* (2013) Effect of reinfestations on systemic immune responses in cattle naturally infested by *Hypoderma sp.* (Diptera: Oestridae). <u>Vet Parasitol. 193: 238-44.</u>
- 9. Ploegaert, T.C. *et al.* (2010) Genetic variation of natural antibodies in milk of Dutch Holstein-Friesian cows. <u>J Dairy Sci. 93: 5467-73.</u>
- 10. Van Meulder, F. *et al.* (2013) Granule exocytosis of granulysin and granzyme B as a potential key mechanism in vaccine-induced immunity in cattle against the nematode *Ostertagia ostertagi*. Infect Immun. 81: 1798-809.
- 11. Maree, F.F. *et al.* (2015) Intra-serotype SAT2 chimeric foot-and-mouth disease vaccine protects cattle against FMDV challenge. <u>Vaccine</u>. 33 (25): 2909-16.
- 12. Rybarczyk, J. *et al.* (2015) Effects of lactoferrin treatment on *Escherichia coli* O157:H7 rectal colonization in cattle. <u>Vet Microbiol. pii: S0378-1135(15)30119-X. [Epub ahead of print]</u>
- 13. González-Hernández A *et al.* (2016) Host protective ASP-based vaccine against the parasitic nematode Ostertagia ostertagi triggers NK cell activation and mixed IgG1-IgG2 response. <u>Sci Rep.</u> 6: 29496.
- 14. Pecora, A. *et al.* (2015) Development of an APC-targeted multivalent E2-based vaccine against Bovine Viral Diarrhea Virus types 1 and 2. <u>Vaccine</u>. 33 (39): 5163-71.
- 15. Scott, K.A. *et al.* (2017) Evaluation of immune responses of stabilised SAT2 antigens of foot-and-mouth disease in cattle. <u>Vaccine</u>. <u>Apr 18 [Epub ahead of print]</u>.

Storage	Store at +4°C. DO NOT FREEZE. This product should be stored undiluted. Should this product contain a precipitate we recommend microcentrifugation before use.
Shelf Life	12 months from date of despatch.
Acknowledgements	Proclin [™] 300 is a trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow.
Health And Safety Information	Material Safety Datasheet documentation available at: Material Safety Datasheet Documentation #10199 available at: https://www.bio-rad-antibodies.com/uploads/MSDS/10199.pdf
Regulatory	For research purposes only

Related Products

Recommended Useful Reagents

AbGUARD® HRP STABILIZER PLUS (BUF052A)

AbGUARD® HRP STABILIZER PLUS (BUF052B)

AbGUARD® HRP STABILIZER PLUS (BUF052C)

Email: antibody_sales_us@bio-rad.com

TMB CORE (BUF056A)

TMB CORE+ (BUF062A)

TMB SIGNAL+ (BUF054A)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Worldwide

Tel: +44 (0)1865 852 700

Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

'M314541:180412'

Printed on 13 Apr 2018

© 2018 Bio-Rad Laboratories Inc | Legal | Imprint