

Datasheet: AAM75

Description:	GOAT ANTI MOUSE M-CSF
Specificity:	M-CSF
Other names:	MACROPHAGE COLONY-STIMULATING FACTOR
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			▪	
Immunohistology - Frozen			▪	
Immunohistology - Paraffin			▪	
ELISA	▪			0.5 - 2.0ug/ml
Immunoprecipitation			▪	
Western Blotting	▪			0.1 - 0.2ug/ml
Functional Assays	▪			0.05 - 0.08ug/ml

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Mouse
Product Form	Purified IgG - lyophilised
Reconstitution	Reconstitute with 0.1ml distilled water Care should be taken during reconstitution as the protein may appear as a film at the bottom of the vial. Bio-Rad recommend that the vial is gently mixed after reconstitution. For long term storage the addition of 0.09% sodium azide is recommended. N.B. For functional studies do not add sodium azide
Antiserum Preparation	Antiserum to mouse M-CSF was raised by repeated immunisation of goats with highly purified antigen. Purified IgG was prepared by affinity chromatography.
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	None present
Approx. Protein	IgG concentration 1.0mg/ml after reconstitution

Concentrations

Immunogen	Recombinant mouse M-CSF.
------------------	--------------------------

External Database Links

UniProt:

[P07141](#)

[Related reagents](#)

Entrez Gene:

[12977](#)

Csf1

[Related reagents](#)

Synonyms

Csfm

Specificity

Goat anti Mouse M-CSF antibody recognizes mouse M-CSF (Macrophage colony-stimulating factor), a potent lineage restricted haematopoietic growth factor and member of the CSF family of hormone-like glycoproteins, which plays a key role in the regulation of cellular differentiation, proliferation, and the survival of blood monocytes, tissue macrophages and their progenitor cells.

Along with sRANKL/CD254/OPGL, M-CSF is essential for osteoclastogenesis, acting through the tyrosine kinase receptor c-fms (colony stimulating factor 1 receptor). A genetic defect in M-CSF is responsible for osteopetrosis in mice (op/op), which are severely deficient in mature macrophages and have a restricted capacity for bone remodelling.

References

1. Djelloul, M. *et al.* (2016) RAE-1 expression is induced during experimental autoimmune encephalomyelitis and is correlated with microglia cell proliferation. [Brain Behav Immun. 58: 209-17.](#)

Storage

Prior to reconstitution store at +4°C.

After reconstitution store at -20°C.

Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

Shelf Life

12 months from date of reconstitution.

Health And Safety Information

Material Safety Datasheet Documentation #10162 available at: <https://www.bio-rad-antibodies.com/uploads/MSDS/10162.pdf>

Regulatory

For research purposes only

Related Products

Recommended Secondary Antibodies

Rabbit Anti Goat IgG (Fc) (STAR122...) [FITC](#), [HRP](#)

North & South America

Tel: +1 800 265 7376

Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

'M291697:160719'

Printed on 19 Jul 2017

