

Datasheet: AHP033

Description:	SHEEP ANTI HUMAN C1q
Specificity:	C1q
Other names:	COMPLEMENT COMPONENT 1q
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	1 ml

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	■			
Immunohistology - Frozen			■	
Immunohistology - Paraffin			■	
ELISA	■			
Immunoprecipitation			■	
Western Blotting			■	
Immunodiffusion	■			Neat

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Human
Product Form	Purified IgG - liquid

Antiserum Preparation Antisera to human C1q were raised by repeated immunisation of sheep with highly purified antigen. Purified IgG was prepared from whole serum by ion exchange chromatography.

Buffer Solution	Glycine buffered saline
Preservative	0.09% Sodium Azide
Stabilisers	0.1% EACA 0.01% Benzamidine 1mM EDTA
Immunogen	Human C1q, purified from plasma.
External Database Links	UniProt:

[P02747](#) [Related reagents](#)
[P02745](#) [Related reagents](#)
[P02746](#) [Related reagents](#)

Entrez Gene:

[714](#) C1QC [Related reagents](#)
[712](#) C1QA [Related reagents](#)
[713](#) C1QB [Related reagents](#)

Synonyms	C1QG
Specificity	Sheep anti Human C1q antibody recognizes human C1q, a sub-component of the C1 complement component.
References	1. Hwang, H.Y. <i>et al.</i> (2008) Highly specific inhibition of C1q globular-head binding to human IgG: a novel approach to control and regulate the classical complement pathway using an engineered single chain antibody variable fragment. Mol Immunol. 45: 2570-80. 2. Cragg, M.S. and Glennie, M.J. (2004) Antibody specificity controls in vivo effector mechanisms of anti-CD20 reagents. Blood. 103: 2738-43. 3. Sárvári, M. <i>et al.</i> (2003) Inhibition of C1q-beta-amyloid binding protects hippocampal cells against complement mediated toxicity. J Neuroimmunol. 137: 12-8. 4. Lewis, M.J. <i>et al.</i> (2008) The different effector function capabilities of the seven equine IgG subclasses have implications for vaccine strategies. Mol Immunol. 45: 818-27. 5. Yuste, J. <i>et al.</i> (2007) Serum amyloid P aids complement-mediated immunity to Streptococcus pneumoniae. PLoS Pathog. 3: 1208-19. 6. Tang, Z. <i>et al.</i> (2013) A human single-domain antibody elicits potent antitumor activity by targeting an epitope in mesothelin close to the cancer cell surface. Mol Cancer Ther. 12: 416-26. 7. John, M. <i>et al.</i> (2000) Nephrotic syndrome in a patient with IgA deficiency-associated mesangioproliferative glomerulonephritis. Pathology. 32 (1): 56-8.
Storage	Store at +4°C or at -20°C if preferred. This product should be stored undiluted. Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Shelf Life	Please see label for expiry date.
Health And Safety Information	Material Safety Datasheet documentation #10087 available at: 10087: https://www.bio-rad-antibodies.com/uploads/MSDS/10087.pdf
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Rabbit Anti Sheep IgG (H/L) (5184-2304...) [Biotin](#)

Donkey Anti Sheep IgG (STAR88...) [DyLight®488](#), [DyLight®549](#), [DyLight®649](#),
[FITC](#), [HRP](#)

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com 'M312913:180305'	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com
----------------------------------	---	------------------	---	---------------	---

Printed on 01 Aug 2018

© 2018 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)