

Datasheet: AHP1322

| Description: | RABBIT ANTI HUMAN FAP ALPHA |
|---------------|-----------------------------|
| Specificity: | FAP ALPHA |
| Other names: | SEPRASE |
| Format: | Purified |
| Product Type: | Polyclonal Antibody |
| Isotype: | Polyclonal IgG |
| Quantity: | 50 μg |

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

| | Yes | No | Not Determined | Suggested Dilution |
|--------------------------------|-----|----|----------------|--------------------|
| Flow Cytometry | | | | |
| Immunohistology - Frozen | | | | |
| Immunohistology - Paraffin (1) | • | | | 10 ug/ml |
| ELISA | | | | |
| Immunoprecipitation | | | | |
| Western Blotting | | | • | |
| Functional Assays | | | • | |

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

(1)This product requires antigen retrieval using heat treatment prior to staining of paraffin sections. Sodium citrate buffer pH 6.0 is recommended for this purpose.

| | • | • |
|-----------------------------------|----------------------------------------------------------------------------------------------------------------------------------|---------------------------|
| Target Species | Human | |
| Product Form | Purified IgG - liquid | |
| Antiserum Preparation | Antisera to FAP alpha were raised by repeated immunisations of rab antigen. Purified IgG prepared by affinity chromatography. | bits with highly purified |
| Buffer Solution | Phosphate buffered saline | |
| Preservative Stabilisers | 0.09% Sodium Azide (NaN ₃) | |
| Approx. Protein Concentrations | IgG concentration 0.5 mg/ml | |
| Immunogen | Synthetic peptide: extracellular domain of human FAP alpha, conjuga hemocyanin. | ated to keyhole limpet |

| External Database Links | UniProt: Q12884 Related reagents | | |
|--------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|
| | Entrez Gene: 2191 FAP Related reagents | | |
| Specificity | Rabbit anti Human FAP alpha antibody detects fibroblast activation protein alpha (FAP alpha), a type II membrane protein belonging to the serine protease family. FAP alpha is upregulated on activated fibroblasts in response to wounding, and may also be involved in epithelial-mesenchymal interactions during development and tissue repair. | | |
| | Active FAP alpha is a ~170 kDa homodimeric protein which can also exist as a soluble form. FAP alpha can also form heterodimeric complexes with CD26 (DPP4), and these proteins may function co-ordinately to modulate the growth, differentiation, adhesion and metastasis of tumour cells. | | |
| Histology Positive Control Tissue | Uterus | | |
| Further Reading | 1. Kelly, T. (2005) Fibroblast activation protein-alpha and dipeptidyl peptidase IV (CD26): cell-surface proteases that activate cell signaling and are potential targets for cancer therapy. Drug Resist Updat.8 (1-2): 51-8. | | |
| Storage | Store at +4°C or at -20°C if preferred. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use. | | |
| Shelf Life | 18 months from date of despatch. | | |
| Health And Safety Information | Material Safety Datasheet documentation #10040 available at: 10040: https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf | | |
| Regulatory | For research purposes only | | |

Related Products

Recommended Secondary Antibodies

Sheep Anti Rabbit IgG (STAR34...) FITC
Sheep Anti Rabbit IgG (STAR35...) RPE

Goat Anti Rabbit IgG (H/L) (STAR124...) HRP

Goat Anti Rabbit IgG (Fc) (STAR121...) Biotin, FITC, HRP

Sheep Anti Rabbit IgG (2AB02...) Biotin

Sheep Anti Rabbit IgG (STAR36...) <u>DyLight®488, DyLight®549, DyLight®649,</u>

DyLight®680, DyLight®800

Recommended Useful Reagents

HISTAR DETECTION SYSTEM (STAR3000A)
HISTAR DETECTION SYSTEM (STAR3000B)
HISTAR DETECTION SYSTEM (STAR3000C)

ANTIGEN RETRIEVAL BUFFER, pH8.0 (BUF025A) ANTIGEN RETRIEVAL BUFFER, pH8.0 (BUF025C)

North & South Tel: +1 800 265 7376 America Fax: +1 919 878 3751 Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739

Tel: +49 (0) 89 8090 95 21 Europe

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_us@bio-rad.com

Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

'M283684:160308'

Printed on 01 May 2018

© 2018 Bio-Rad Laboratories Inc | Legal | Imprint