

## Datasheet: AHP1423

<b>Description:</b>	RABBIT ANTI HUMAN CASPASE-2
<b>Specificity:</b>	CASPASE-2
<b>Other names:</b>	CASP-2
<b>Format:</b>	Purified
<b>Product Type:</b>	Polyclonal Antibody
<b>Isotype:</b>	Polyclonal IgG
<b>Quantity:</b>	50 µg

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			▪	
Immunohistology - Frozen			▪	
Immunohistology - Paraffin (1)	▪			10ug/ml
ELISA			▪	
Immunoprecipitation			▪	
Western Blotting	▪			1ug/ml
Functional Assays			▪	

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

**(1) This product requires antigen retrieval using heat treatment prior to staining of paraffin sections. Sodium citrate buffer pH 6.0 is recommended for this purpose.**

<b>Target Species</b>	Human
<b>Species Cross Reactivity</b>	Reacts with: Mouse <b>N.B.</b> Antibody reactivity and working conditions may vary between species.
<b>Product Form</b>	Purified IgG - liquid
<b>Antiserum Preparation</b>	Antiserum to human caspase-2 was raised by repeated immunisation of rabbits with highly purified antigen. Purified IgG was prepared from whole serum by affinity chromatography.
<b>Buffer Solution</b>	Phosphate buffered saline
<b>Preservative Stabilisers</b>	0.02% Sodium Azide (NaN <sub>3</sub> )
<b>Approx. Protein Concentrations</b>	IgG concentration 1.0mg/ml

<b>Immunogen</b>	Synthetic peptide corresponding to 6 amino acid sequence from the amino-terminus of human Caspase-2.
<b>External Database Links</b>	<p><b>UniProt:</b>  <a href="#">P42575</a>   <a href="#">Related reagents</a></p> <p><b>Entrez Gene:</b>  <a href="#">835</a>   CASP2   <a href="#">Related reagents</a></p>
<b>Synonyms</b>	ICH1, NEDD2
<b>Specificity</b>	<p>recognises human caspase-2, a 53 kDa member of the cysteine-aspartic acid protease (caspase) family.</p> <p>Caspase-2 is required for the permeabilisation of the mitochondria and the resulting amplification of caspase activity, in response to cytotoxic stress. Cytotoxic stress induced proteolytic cleavage of the caspase-2 proenzyme forms an active caspase which cleaves other caspases in a cascade. This leads to the release of cytochrome c and Smac from mitochondria and the translocation of Bax from the cytoplasm to the mitochondria, leading to apoptosis.</p> <p>In adults, caspase-2 is expressed in the placenta, lung, kidney, pancreas and at lower levels in the heart, brain, liver and skeletal muscle.</p>
<b>Histology Positive Control Tissue</b>	Human placenta
<b>Storage</b>	<p>Store at +4°C or at -20°C if preferred.</p> <p>Storage in frost-free freezers is not recommended.</p> <p>This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.</p>
<b>Shelf Life</b>	18 months from date of despatch.
<b>Health And Safety Information</b>	Material Safety Datasheet documentation #10040 available at: 10040: <a href="https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf">https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf</a>
<b>Regulatory</b>	For research purposes only

## Related Products

### Recommended Secondary Antibodies

Sheep Anti Rabbit IgG (STAR34...)	<a href="#">FITC</a>
Sheep Anti Rabbit IgG (STAR35...)	<a href="#">RPE</a>
Goat Anti Rabbit IgG (H/L) (STAR124...)	<a href="#">HRP</a>
Goat Anti Rabbit IgG (Fc) (STAR121...)	<a href="#">Biotin</a> , <a href="#">FITC</a> , <a href="#">HRP</a>
Sheep Anti Rabbit IgG (2AB02...)	<a href="#">Biotin</a>
Sheep Anti Rabbit IgG (STAR36...)	<a href="#">DyLight@488</a> , <a href="#">DyLight@549</a> , <a href="#">DyLight@649</a> , <a href="#">DyLight@680</a> , <a href="#">DyLight@800</a>

### Recommended Useful Reagents

[HISTAR DETECTION SYSTEM \(STAR3000B\)](#)  
[ANTIGEN RETRIEVAL BUFFER, pH8.0 \(BUF025A\)](#)  
[ANTIGEN RETRIEVAL BUFFER, pH8.0 \(BUF025C\)](#)  
[TidyBlot™ WESTERN BLOT DETECTION REAGENT:HRP \(STAR209P\)](#)

<b>North &amp; South America</b>	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: <a href="mailto:antibody_sales_us@bio-rad.com">antibody_sales_us@bio-rad.com</a>	<b>Worldwide</b>	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: <a href="mailto:antibody_sales_uk@bio-rad.com">antibody_sales_uk@bio-rad.com</a>	<b>Europe</b>	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: <a href="mailto:antibody_sales_de@bio-rad.com">antibody_sales_de@bio-rad.com</a>
----------------------------------	---	------------------	---	---------------	---

'M294555:161005'

**Printed on 02 May 2018**

---

© 2018 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)