

Datasheet: AHP2557

Description:	RABBIT ANTI BAD (pSer136)
Specificity:	BAD (pSer136)
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	50 µl

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Immunohistology - Paraffin	▪			1/50 - 1/100
Western Blotting	▪			1/500 - 1/2000

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human
Species Cross Reactivity	Reacts with: Mouse N.B. Antibody reactivity and working conditions may vary between species.
Product Form	Purified IgG - liquid
Antiserum Preparation	Antiserum to BAD (pSer136) was raised by repeated immunization of rabbits with highly purified antigen. Purified IgG was prepared from whole serum by affinity chromatography.
Buffer Solution	Phosphate buffered saline
Preservative	0.02% Sodium Azide
Stabilisers	50% Glycerol
Immunogen	Phospho specific-peptide corresponding to residues surrounding serine 136 of human BAD
External Database Links	<p>UniProt: Q92934 Related reagents</p> <p>Entrez Gene: 572 BAD Related reagents</p>
Synonyms	BBC6, BCL2L8

Specificity	<p>Rabbit anti BAD (pSer136) antibody recognizes Bcl2-associated agonist of cell death (BAD), also known as Bcl-xL/Bcl-2-associated death promoter, Bcl-2 binding component 6 or Bcl2-L-8, when phosphorylated at serine 136.</p> <p>Similar to the other Bcl-2 protein family members, Bax, Bak, Bid and Bock, BAD has a pro-apoptotic function in the apoptosis signaling cascade.</p> <p>The precise role of BAD in apoptosis signaling depends on BAD's post-translational modification status. Nonphosphorylated BAD forms heterodimers with the two anti-apoptotic Bcl-2 protein family members, Bcl-xL and Bcl-2 (Zha et al. 1996). The binding of BAD to Bcl-xL promotes apoptosis by inhibiting the apoptosis repressor function of Bcl-xL (Yang et al. 1995). Once serine phosphorylated, BAD is unable to heterodimerize with Bcl-xL and interacts with 14-3-3 proteins instead (Masters et al. 1995). This binding retains BAD in the cytoplasm and thereby enables Bcl-xL to suppress apoptosis (Zha et al. 1996). BAD is phosphorylated at serine 136 by Akt (Datta et al. 1997).</p>
Western Blotting	Due to the presence of phosphoproteins in milk, the use of milk based blocking reagents is not recommended. 1% BSA in PBS or TBS Tween should be used instead.
Further Reading	<ol style="list-style-type: none"> 1. Zha, J. et al. (1996) Serine phosphorylation of death agonist BAD in response to survival factor results in binding to 14-3-3 not BCL-X(L) Cell. 87 (4): 619-28. 2. Yang, E. et al. (1995) Bad, a heterodimeric partner for Bcl-XL and Bcl-2, displaces Bax and promotes cell death Cell. 80 (2): 285-91. 3. Masters, S.C. et al. (2001) 14-3-3 inhibits Bad-induced cell death through interaction with serine-136 Mol Pharmacol. 60 (6): 1325-31. 4. Datta, S.R. et al. (1997) Akt phosphorylation of BAD couples survival signals to the cell-intrinsic death machinery Cell. 91 (2): 231-41.
Storage	<p>Store at -20°C</p> <p>Storage in frost-free freezers is not recommended.</p> <p>This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.</p>
Shelf Life	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10049 available at: 10049: https://www.bio-rad-antibodies.com/uploads/MSDS/10049.pdf
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Sheep Anti Rabbit IgG (STAR34...)	FITC
Sheep Anti Rabbit IgG (STAR35...)	RPE
Goat Anti Rabbit IgG (H/L) (STAR124...)	HRP
Goat Anti Rabbit IgG (Fc) (STAR121...)	Biotin , FITC , HRP
Sheep Anti Rabbit IgG (2AB02...)	Biotin
Sheep Anti Rabbit IgG (STAR36...)	DyLight®488 , DyLight®549 , DyLight®649 , DyLight®680 , DyLight®800

Recommended Useful Reagents

TidyBlot™ WESTERN BLOT DETECTION REAGENT:HRP (STAR209P)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

'M302989:170130'

Printed on 04 May 2018

© 2018 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)