

Datasheet: AHP481

Description:	RABBIT ANTI MOUSE FLIP (C-TERMINAL)
Specificity:	FLIP L (C-TERMINAL)
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			•	
Immunohistology - Frozen				
Immunohistology - Paraffin			•	
ELISA			•	
Immunoprecipitation			•	
Western Blotting				1/500 - 1/1000
Immunocytochemistry				5 ug/ml

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Mouse
Product Form	Purified IgG - liquid

Antiserum Preparation Antisera to murine FLIP were raised by repeated immunisation of rabbits with highly purified antigen. Purified IgG prepared by ion exchange chromatography.

Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.02% Sodium Azide
Approx. Protein Concentrations	IgG concentration 0.5mg/ml
Immunogen	Synthetic peptide from C-terminus of murine FLIPL.
External Database	

UniProt: Links

> O35732 Related reagents

Entrez Gene:

12633 Cflar Related reagents

Synonyms	Cash
Specificity	Rabbit anti FLIP antibody recognizes the apoptosis related protein designated FLIP (FLICE inhibitory protein).
	FLIP interacts with the adaptor protein FADD, and with Caspase-8 (FLICE) and Caspase-10 (FLICE2) to inhibit apoptosis induced by death receptors including CD95, DR3, TRAIL-R and TNFR1.
	FLIP exists in 2 forms, FLIPs (short) and FLIPL (long). Rabbit anti FLIP antibody (AHP481) recognizes only FLIPL.
References	1. Zhang, J. <i>et al.</i> (2001) Impaired Fas signaling pathway is involved in defective T cell apoptosis in autoimmune murine arthritis. <u>J Immunol. 166: 4981-6.</u>
Further Reading	1. Irmler, M. <i>et al.</i> (1997) Inhibition of death receptor signals by cellular FLIP. <u>Nature. 388 (6638):</u> 190-5.
Storage	Store at +4°C or at -20°C if preferred.
	This product should be stored undiluted.
	Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Shelf Life	18 months from date of despatch.
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: 10040: https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Sheep Anti Rabbit IgG (STAR34...) FITC
Sheep Anti Rabbit IgG (STAR35...) RPE
Goat Anti Rabbit IgG (H/L) (STAR124...) HRP

Goat Anti Rabbit IgG (Fc) (STAR121...) Biotin, FITC, HRP

Sheep Anti Rabbit IgG (2AB02...) Biotin

Sheep Anti Rabbit IgG (STAR36...) <u>DyLight®488</u>, <u>DyLight®549</u>, <u>DyLight®649</u>,

DyLight®680, DyLight®800

Recommended Useful Reagents

TidyBlot™ WESTERN BLOT DETECTION REAGENT:HRP (STAR209P)

North & South Tel: +1 800 265 7376 America Fax: +1 919 878 3751 Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

Email: antibody_sales_us@bio-rad.com

Email: antibody_sales_uk@bio-rad.com

'M309962:170913'

Printed on 02 May 2018

© 2018 Bio-Rad Laboratories Inc | Legal | Imprint