

Datasheet: MCA1029GA

Description:	MOUSE ANTI RAT OX-62
Specificity:	OX-62
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	OX-62
Isotype:	IgG1
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			1/50 - 1/100
Immunohistology - Frozen	▪			
Immunohistology - Paraffin			▪	
ELISA			▪	
Immunoprecipitation	▪			

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Rat
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide
Carrier Free	Yes
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	Density gradient enriched PVG rat thoracic duct dendritic cells.
External Database Links	UniProt:

Fusion Partners	Spleen cells of BALB/c mice were fused with cells of the mouse NS0 myeloma cell line.
------------------------	---

Specificity	Mouse anti Rat OX-62 antibody, clone OX-62 recognizes the OX-62 antigen, also known as rat alpha E2 integrin, an 1150 amino acid, ~130 kDa single pass type I transmembrane protein expressed by intestinal dendritic cells, dendritic epidermal T cells, intraepithelial lymphocytes in the small intestine and by cells of dendritic morphology in lymphoid organs, at sites where gamma delta T cells are present.
--------------------	--

Flow Cytometry	Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul.
-----------------------	---

References	<ol style="list-style-type: none">1. Brenan, M. & Puklavec, M. (1992) The MRC OX-62 antigen: a useful marker in the purification of rat veiled cells with the biochemical properties of an integrin. J Exp Med. 175 (6): 1457-65.2. Brenan, M. & Rees, D.J. (1997) Sequence analysis of rat integrin alpha E1 and alpha E2 subunits: tissue expression reveals phenotypic similarities between intraepithelial lymphocytes and dendritic cells in lymph. Eur J Immunol. 27 (11): 3070-9.3. Kostulas, N. <i>et al.</i> (2002) Dendritic cells are present in ischemic brain after permanent middle cerebral artery occlusion in the rat. Stroke. 33 (4): 1129-34.4. Rival, C. <i>et al.</i> (2006) Identification of a dendritic cell population in normal testis and in chronically inflamed testis of rats with autoimmune orchitis. Cell Tissue Res. 324 (2): 311-8.5. Tsuchiya, T. <i>et al.</i> (2002) Dendritic cell involvement in pulmonary granuloma formation elicited by bacillus calmette-guérin in rats. Am J Respir Crit Care Med. 165 (12): 1640-6.6. Zilka, N. <i>et al.</i> (2009) Human misfolded truncated tau protein promotes activation of microglia and leukocyte infiltration in the transgenic rat model of tauopathy. J Neuroimmunol. 209 (1-2): 16-25.7. Schwartzkopff, J. <i>et al.</i> (2010) NK cell depletion delays corneal allograft rejection in baby rats. Mol Vis. 16: 1928-35.8. Baca Jones, C.C. <i>et al.</i> (2009) Rat cytomegalovirus infection depletes MHC II in bone marrow derived dendritic cells. Virology. 388: 78-90.9. Zhou, Y.J. <i>et al.</i> (2010) The role of the lactadherin in promoting intestinal DCs development <i>in vivo</i> and <i>in vitro</i>. Clin Dev Immunol. 2010: 357541.10. Aiello, S. <i>et al.</i> (2000) Thymic Dendritic Cells Express Inducible Nitric Oxide Synthase and Generate Nitric Oxide in Response to Self- and Alloantigens J Immunol. 164: 4649-58.11. Camelo, S. <i>et al.</i> (2003) Local retention of soluble antigen by potential antigen-presenting cells in the anterior segment of the eye. Invest Ophthalmol Vis Sci. 44: 5212-9.12. Camelo, S. <i>et al.</i> (2004) The distribution of antigen in lymphoid tissues following its injection into the anterior chamber of the rat eye. J Immunol. 172: 5388-95.13. Henry, F. <i>et al.</i> (1999) Antigen-presenting cells that phagocytose apoptotic tumor-derived cells are potent tumor vaccines. Cancer Res. 59: 3329-32.14. Liu, L. <i>et al.</i> (1998) Dendritic cell heterogeneity <i>in vivo</i>: two functionally different dendritic cell populations in rat intestinal lymph can be distinguished by CD4 expression. J Immunol. 161: 1146-55.15. O'Sullivan, N.L. <i>et al.</i> (2001) Lymphocyte lineages at mucosal effector sites: rat salivary glands. J Immunol. 166: 5522-9.16. Penttila, I.A. <i>et al.</i> (2003) Maternal milk regulation of cell infiltration and interleukin 18 in the intestine of suckling rat pups. Gut. 52: 1579-86.17. Stephens, L.A. <i>et al.</i> (2004) Phenotypic characterization of regulatory CD4+CD25+ T cells in rats. Int Immunol. 16: 365-75.18. Sugawara, I. <i>et al.</i> (2004) Pathological and immunological profiles of rat tuberculosis. Int J Exp Pathol. 85: 125-34.19. Tiurbe, G. <i>et al.</i> (2009) Inhibitory effects of rat bone marrow-derived dendritic cells on naïve
-------------------	---

- and alloantigen-specific CD4+ T cells: a comparison between dendritic cells generated with GM-CSF plus IL-4 and dendritic cells generated with GM-CSF plus IL-10. [BMC Res Notes. 2: 12.](#)
20. Tsuchiya, T. *et al.* (2002) Dendritic cell involvement in pulmonary granuloma formation elicited by bacillus calmette-guérin in rats. [Am J Respir Crit Care Med. 165: 1640-6.](#)
21. Stojić-Vukanić, Z. *et al.* (2016) Estradiol enhances capacity of TLR-matured splenic dendritic cells to polarize CD4+ lymphocytes into IL-17/GM-CSF-producing cells *in vitro*. [Int Immunopharmacol. 40: 244-253.](#)
22. Varas, A. *et al.* (1998) Interleukin-7 influences the development of thymic dendritic cells. [Blood. 92: 93-100.](#)
23. Bufan, B. *et al.* (2015) Aging Impairs Endocytic Capacity Of Splenic Dendritic Cells From Dark Agouti Rats And Alters Their Response To TLR4 Stimulation [Acta Veterinaria. Volume 65, Issue 1, Pages 30–55.](#)
24. Syrjälä, S. *et al.* (2015) Donor Heart Treatment With COMP-Ang1 Limits Ischemia-Reperfusion Injury and Rejection of Cardiac Allografts. [Am J Transplant. 15 \(8\): 2075-84.](#)
25. Palin, N.K. *et al.* (2017) Activin inhibition limits early innate immune response in rat kidney allografts-a pilot study. [Transpl Int. 30 \(1\): 96-107.](#)
26. Raissadati, A. *et al.* (2017) Vascular Endothelial Growth Factor-B Overexpressing Hearts Are Not Protected From Transplant-Associated Ischemia-Reperfusion Injury. [Exp Clin Transplant. 15 \(2\): 203-12.](#)

Storage

Store at +4°C or at -20°C if preferred.

This product should be stored undiluted.

Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

Shelf Life

18 months from date of despatch.

Health And Safety Information

Material Safety Datasheet documentation #10040 available at: 10040: <https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf>

Regulatory

For research purposes only

Related Products

Recommended Secondary Antibodies

- Goat Anti Mouse IgG (STAR76...) [RPE](#)
- Goat Anti Mouse IgG IgA IgM (STAR87...) [Alk. Phos.](#), [HRP](#)
- Goat Anti Mouse IgG (H/L) (STAR117...) [Alk. Phos.](#), [DyLight@488](#), [DyLight@549](#), [DyLight@649](#), [DyLight@680](#), [DyLight@800](#), [FITC](#), [HRP](#)
- Rabbit Anti Mouse IgG (STAR9...) [FITC](#)
- Goat Anti Mouse IgG (STAR77...) [HRP](#)
- Rabbit Anti Mouse IgG (STAR12...) [RPE](#)
- Goat Anti Mouse IgG (Fc) (STAR120...) [FITC](#), [HRP](#)
- Rabbit Anti Mouse IgG (STAR8...) [DyLight@800](#)
- Goat Anti Mouse IgG (STAR70...) [FITC](#)
- Rabbit Anti Mouse IgG (STAR13...) [HRP](#)
- Human Anti Mouse IgG1 (HCA036...) [HRP](#)

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL (MCA1209)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

'M315142:180503'

Printed on 05 May 2018

© 2018 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)