

Datasheet: MCA1473

Description:	MOUSE ANTI CHICKEN CD3
Specificity:	CD3
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	CT-3
Isotype:	IgG1
Quantity:	0.5 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			1/50
Immunohistology - Frozen	▪			
Immunohistology - Paraffin			▪	
ELISA			▪	
Immunoprecipitation	▪			
Western Blotting			▪	

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Chicken
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared from ascites
Buffer Solution	Borate buffered saline
Preservative Stabilisers	None present
Approx. Protein Concentrations	IgG concentration 0.5 mg/ml
Immunogen	Chicken thymocytes and Ig ^{-ve} peripheral blood mononuclear cells.
External Database Links	UniProt: Q98910 Related reagents

Entrez Gene:

[396062](#) CD3E [Related reagents](#)

Fusion Partners	Lymph node cells from immunised Balb/c mice were fused with cells from the mouse P3-X63Ag8.653 myeloma cell line.
------------------------	---

Specificity	<p>Mouse anti Chicken CD3, clone CT-3 recognizes the chicken CD3 cell surface antigen expressed by T cells (Chen <i>et al.</i> 1986). The antibody also co-precipitates a ~90 kDa heterodimer from digitonin solubilized T cell lysates, which can be reduced to two polypeptides of ~40 kDa and ~50 kDa.</p> <p>In the chicken, CD3 is expressed by approximately 30% of thymocytes, 70% of peripheral blood mononuclear cells, but <1% of cells in the bursa and bone marrow.</p>
--------------------	---

Flow Cytometry	Use 50ul of the suggested working dilution to label 10 ⁶ cells in 100ul.
-----------------------	---

References	<ol style="list-style-type: none">1. Chen, C.L. <i>et al.</i> (1986) Identification of a T3/T cell receptor complex in chickens. J Exp Med. 164 (1): 375-80.2. Mukamoto, M. & Kodama, H. (2000) Regulation of early chicken thymocyte proliferation by transforming growth factor-beta from thymic stromal cells and thymocytes. Vet Immunol Immunopathol. 77 (1-2): 121-32.3. Chaussé, A.M. <i>et al.</i> (2011) Expression of toll-like receptor 4 and downstream effectors in selected cecal cell subpopulations of chicks resistant or susceptible to salmonella carrier state. Infect Immun. 79: 3445-54.4. Balic, A. <i>et al.</i> (2014) Visualisation of chicken macrophages using transgenic reporter genes: insights into the development of the avian macrophage lineage. Development. 141: 3255-65.5. Abd El-Hack, M.. & Alagawany, M. (2015) Performance, egg quality, blood profile, immune function, and antioxidant enzyme activities in laying hens fed diets with thyme powder Journal of Animal and Feed Sciences. 24 (2): 127-33.
-------------------	---

Storage	<p>Store at +4°C or at -20°C if preferred.</p> <p>This product should be stored undiluted.</p> <p>Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.</p>
----------------	--

Shelf Life	Please see label for expiry date.
-------------------	-----------------------------------

Health And Safety Information	Material Safety Datasheet documentation #10123 available at: 10123: https://www.bio-rad-antibodies.com/uploads/MSDS/10123.pdf
--------------------------------------	---

Regulatory	For research purposes only
-------------------	----------------------------

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (H/L) (STAR117...) [FITC](#)

Rabbit Anti Mouse IgG (STAR9...) [FITC](#)

Rabbit Anti Mouse IgG (STAR12...) [RPE](#)

North & South America Tel: +1 800 265 7376
Fax: +1 919 878 3751
Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700
Fax: +44 (0)1865 852 739
Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21
Fax: +49 (0) 89 8090 95 50
Email: antibody_sales_de@bio-rad.com

'M289433:160615'

Printed on 30 Apr 2018