

Datasheet: MCA1416EL

Description:	MOUSE ANTI HUMAN CD103:Low Endotoxin
Specificity:	CD103
Other names:	ALPHA E, INTEGRIN
Format:	Low Endotoxin
Product Type:	Monoclonal Antibody
Clone:	LF61
Isotype:	lgG1
Quantity:	0.5 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	•			Neat - 1/50
Immunohistology - Frozen (1)	•			
Immunohistology - Paraffin				
ELISA			•	
Immunoprecipitation	•			
Western Blotting			•	

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

(1) The epitope recognised by this antibody is reported to be sensitive to formaldehyde fixation and tissue processing. Bio-Rad recommends the use of acetone fixation for frozen sections.

Target Species	Human	
Product Form	Purified IgG - liquid	
Preparation	Purified IgG prepared by affinity chromatography on Protein G from	tissue culture supernatant
Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	None present	
Carrier Free	Yes	
Endotoxin Level	<0.01EU/ug	

Approx. Protein Concentrations	IgG concentration 1.0 mg/ml	
Immunogen	Hairy cell leukaemia cells.	
External Database Links	UniProt: P38570 Related reagents Entrez Gene: 3682 ITGAE Related reagents	
Fusion Partners	Spleen cells from immunised BALB/c mice were fused with cells of the line.	ne mouse NS0 myeloma cell
Specificity	Mouse anti Human CD103 antibody, clone LF61 recognizes the he antigen, a glycoprotein expressed by approximately 1% of peripheral T lymphocytes and by hairy cell leukaemia cells. The antigen is also lymphocytes. It has recently been shown to be identical to the alpha	blood lymphocytes, activated expressed by intraepithelial
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul	l.
References	 Falini, B. <i>et al.</i> (1990) Selection of a panel of monoclonal antibodic disease in peripheral blood and bone marrow of interferon-treated had J Haematol. 76 (4): 460-8. Ling, K.L. <i>et al.</i> (2007) Modulation of CD103 expression on human CTL. J Immunol. 178: 2908-15. Hadley, G.A. <i>et al.</i> (2001) CD103+ CTL accumulate within the grannenal allograft rejection. Transplantation. 72 (9): 1548-55. 	airy cell leukaemia patients. <u>Br</u> n colon carcinoma-specific
Storage	Store at -20°C only.	
	This product should be stored undiluted.	
	Storage in frost-free freezers is not recommended. Avoid repeated fr may denature the antibody. Should this product contain a precipitate microcentrifugation before use.	
Shelf Life	18 months from date of despatch.	
Health And Safety Information	Material Safety Datasheet documentation #10162 available at: 10162: https://www.bio-rad-antibodies.com/uploads/MSDS/10162.pdf	
Regulatory	For research purposes only	

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (STAR76...) RPE

Goat Anti Mouse IgG IgA IgM (STAR87...) Alk. Phos., HRP

Goat Anti Mouse IgG (H/L) (STAR117...) Alk. Phos., DyLight®488, DyLight®549,

DyLight®649, DyLight®680, DyLight®800,

FITC, HRP

Rabbit Anti Mouse IgG (STAR9...) FITC

Goat Anti Mouse IgG (STAR77...) HRP

Rabbit Anti Mouse IgG (STAR12...) RPE

Goat Anti Mouse IgG (Fc) (STAR120...) FITC, HRP
Rabbit Anti Mouse IgG (STAR8...) DyLight®800

Goat Anti Mouse IgG (STAR70...) FITC
Rabbit Anti Mouse IgG (STAR13...) HRP
Human Anti Mouse IgG1 (HCA036...) HRP

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL:Low Endotoxin (MCA928EL)

North & South Tel: +1 800 265 7376

Worldwide Tel: +44 (0)1865 852 700

Tel: +49 (0) 89 8090 95 21

America Fax: +1 919 878 3751

Fax: +44 (0)1865 852 739

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_us@bio-rad.com

Email: antibody_sales_uk@bio-rad.com

Europe

Email: antibody_sales_de@bio-rad.com

'M315271:180503'

Printed on 14 May 2018

© 2018 Bio-Rad Laboratories Inc | Legal | Imprint