

Datasheet: MCA1556A647T

Description:	MOUSE ANTI HUMAN CD10:Alexa Fluor® 647			
Specificity:	CD10			
Other names:	CALLA			
Format:	ALEXA FLUOR® 647			
Product Type:	Monoclonal Antibody			
Clone:	SN5c			
lsotype:	lgG1			
Quantity:	25 TESTS/0.25ml			

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol								
	recommendations, please visit www.bio-rad-antibodies.com/protocols.								
		Yes	No	Not Determined	Suggested Dilution				
	Flow Cytometry 1/5 - 1/10								
	-	Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is							
		e user titrates the		for use in their own syst					
Target Species	Human								
Product Form	Purified IgG conjugated to Alexa Fluor® 647- liquid								
Max Ex/Em	Fluorophore	Excitation Max ((nm) Emi	ssion Max (nm)					
	Alexa Fluor®647	650		665					
Preparation	Purified IgG prepared	by affinity chrom	natography	on Protein G from tissu	e culture supernatant				
Buffer Solution	Phosphate buffered saline								
Preservative	0.09% Sodium Azide								
Stabilisers	1% Bovine Serum	Albumin							
Approx. Protein Concentrations	IgG concentration 0.05 mg/ml								
Immunogen	Partially purified cell membrane antigens from fresh leukemia cells								
External Database Links	UniProt:								
	P08473 Relate	ed reagents							

Entrez Gene:

4311 MME Related reagents

Fusion Partners Spleen cells from immunised BALB/c mice were fused with cells of the mouse PS/NS1/1-Ag4-1 myeloma cell line Specificity Mouse anti Human CD10 antibody, clone SN5c recognizes the human CD10 cell surface antigen, a ~100 kDa glycoprotein expressed by acute lymphoblastic leukaemia cells and by peripheral blood granulocytes. CD10 is also known as the Common Acute Lymphoblastic Leukaemia Antigen (CALLA). Flow Cytometry Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul. References 1. Matsuzaki, H. <i>et al.</i> (1987) Unique epitopes of common acute lymphoblastic leukemia antigen detected by new monoclonal antibodies. Cancer Res. 47 (<i>B</i>): 2160-6. 2. Biddle, W.C. <i>et al.</i> (1989) <i>In vitro</i> and <i>in vivo</i> cytotoxic activity of anti-human leukemia monoclonal antibodies S05c and SN6 deunorubicin conjugates. Leuk Res. 13 (B): 699-707. 3. Rieman, D. <i>et al.</i> (2000) Immunophenotypic changes of human articular chondrocytes during monolayer culture reflect <i>bona fide</i> dedifferentiation rather than amplification of progenitor cells. J Cell Physiol. 214: 75-83. Storage Store at +4ºC or at -20°C if preferred. This product should be stored undiluted. Storage in frost free freezers is not recommended. This product is photosensitive and should be protected from light. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use. Shelf Life 18 months from date of despatch. Acknowledgements This product is provided under an i		
myeloma cell line Specificity Mouse anti Human CD10 antibody, clone SNSc recognizes the human CD10 cell surface antigen, a ~100 kDa glycoprotein expressed by acute lymphoblastic leukaemia cells and by peripheral blood granulocytes. CD10 is also known as the Common Acute Lymphoblastic Leukaemia Antigen (CALLA). Flow Cytometry Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul. References 1. Matsuzaki, H. <i>et al.</i> (1987) Unique epitopes of common acute lymphoblastic leukemia antigen detected by new monoclonal antibodies. Cancer Res. 47 (8): 2160-6. 2. Biddle, W.C. <i>et al.</i> (1989) <i>In vitro</i> and <i>in vivo</i> cytotoxic activity of anti-human leukemia monoclonal antibodies SN6c and SN6 daunorubicin conjugates. Leuk Res. 13 (8): 699-707. 3. Riemann, D. <i>et al.</i> (2001) Caveolae/lipid rafts in fibroblast-like synovicoytes: ectopeptidase-rich membrane microdomains. Biochem J. 354 (Pt 1): 47-55. 4. Diaz-Romero, J. <i>et al.</i> (2008) immunophenotypic changes of human articular chondrocytes during monolayer culture reflect <i>bona fide</i> dedifferentiation rather than amplification of progenitor cells. J Cell Physiol. 214: 75-83. Storage Storage in frost free freezers is not recommended. This product is photosensitive and should be protected from light. Avoid repeated freezing and thaving as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use. Shelf Life 18 months from date of despatch. Acknowledgements This product is provided under an intellectual property licence from Life Technologies Corporation The transfer of this product is contingent on the buyer using the purchase product solely in re	Synonyms	EPN
antigen, a ~100 kDa glycoprotein expressed by acute lymphoblastic leukaemia cells and by peripheral blood granulocytes. CD10 is also known as the Common Acute Lymphoblastic Leukaemia Antigen (CALLA). Flow Cytometry Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul. References 1. Matsuzaki, H. <i>et al.</i> (1987) Unique epitopes of common acute lymphoblastic leukemia antigen detected by new monoclonal antibodies. <u>Cancer Res. 47 (8): 2160-6</u> . 2. Biddle, W.C. <i>et al.</i> (1989) <i>In vitro</i> and <i>in vivo</i> cytoloxic activity of anti-human leukemia monoclonal antibodies SNEs and SN6 daunorubicin conjugates. <u>Leuk Res. 13 (8): 699-707</u> . 3. Riemann, D. <i>et al.</i> (2001) Caveolae/lipid rafts in fibroblast-like synoviocytes: ectopeptidase-rich membrane microdomains. <u>Biochem J. 354 (Pt 1): 47-555</u> . 4. Diaz-Romero, J. <i>et al.</i> (2008) Immunophenotypic changes of human articular chondrocytes during monolayer culture reflect <i>bona fide</i> dedifferentiation rather than amplification of progenitor cells. <u>J Cell Physiol. 214: 75-83</u> . Storage Store at +4°C or at -20°C If preferred. This product should be stored undiluted. Storage in frost free freezers is not recommended. This product is photosensitive and should be protected from light. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use. Shelf Life 18 months from date of despatch. Acknowledgements This product is provided under an intellectual property licence from Life Technologies Corporation The transfer of	Fusion Partners	· · · · · · · · · · · · · · · · · · ·
References 1. Matsuzaki, H. et al. (1987) Unique epitopes of common acute lymphoblastic leukemia antigen detected by new monoclonal antibodies. Cancer Res. 47 (8): 2160-6. 2. Biddle, W.C. et al. (1989) In vitro and in vivo cytotoxic activity of anti-human leukemia monoclonal antibodies SN5c and SN6 daunorubicin conjugates. Leuk Res. 13 (8): 699-707. 3. Riemann, D. et al. (2001) Caveolae/lipid rafts in fibroblast-like synoviocytes: ectopeptidase-rich membrane microdomains. Biochem J. 354 (Pt 1): 47-55. 4. Diaz-Romero, J. et al. (2008) Immunophenotypic changes of human articular chondrocytes during monolayer culture reflect bona fide dedifferentiation rather than amplification of progenitor cells. J Cell Physiol. 214: 75-83. Storage Store at +4°C or at -20°C if preferred. This product should be stored undiluted. Storage in frost free freezers is not recommended. This product is photosensitive and should be protected from light. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use. Shelf Life 18 months from date of despatch. Acknowledgements This product is provided under an intellectual property licence from Life Technologies Corporation The transfer of this product or its components for (a) diagnostic, therapeutic or pophylacic purpose; (b) testing, analysis or screening services, or information in return for compensation on per-test basis; (c) manufacturing or quality assurance or quality control, or (d) resale, whether or not resold for use in research. For information on purchasing a license to this product for purpose other than as des	Specificity	antigen, a ~100 kDa glycoprotein expressed by acute lymphoblastic leukaemia cells and by peripheral blood granulocytes. CD10 is also known as the Common Acute Lymphoblastic
detected by new monoclonal antibodies. Cancer Res. 47 (8): 2160-6. 2. Biddle, W.C. et al. (1989) In vitro and in vice cytotoxic activity of anti-human leukemia monoclonal antibodies SN5c and SN6 daunorubicin conjugates. Leuk Res. 13 (8): 699-707. 3. Riemann, D. et al. (2001) Caveolae/lipid rafts in fibroblast-like synoviccytes: ectopeptidase-rich membrane microdomains. Biochem J. 354 (Pt 1): 47-55. 4. Diaz-Romero, J. et al. (2008) Immunophenotypic changes of human articular chondrocytes during monolayer culture reflect bona fide dedifferentiation rather than amplification of progenitor cells. J Cell Physiol. 214: 75-83. Storage Store at +4ºC or at -20°C if preferred. This product should be stored undiluted. Storage in frost free freezers is not recommended. This product is photosensitive and should be protected from light. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use. Shelf Life 18 months from date of despatch. Acknowledgements This product is contingent on the buyer using the purchase product solely in research, excluding contract research or any fee for service research, and the buyer must not sell or otherwise transfer this product or its components for (a) diagnostic, therapeutic or purpoyaes; (b) testing, analysis or screening services, or information in return for compensation on per-test basis; (c) manufacturing or quality assurance or quality control, or (d) resale, whether or not resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corpo	Flow Cytometry	Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul.
This product should be stored undiluted. Storage in frost free freezers is not recommended. This product is photosensitive and should be protected from light. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use. Shelf Life 18 months from date of despatch. Acknowledgements This product is provided under an intellectual property licence from Life Technologies Corporation The transfer of this product is contingent on the buyer using the purchase product solely in research, excluding contract research or any fee for service research, and the buyer must not sell or otherwise transfer this product or its components for (a) diagnostic, therapeutic or prophylactic purposes; (b) testing, analysis or screening services, or information in return for compensation on per-test basis; (c) manufacturing or quality assurance or quality control, or (d) resale, whether or not resold for use in research. For information on purchasing a license to this product for purpose other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad CA 92008 USA or outlicensing@thermofisher.com	References	 detected by new monoclonal antibodies. <u>Cancer Res. 47 (8): 2160-6.</u> 2. Biddle, W.C. <i>et al.</i> (1989) <i>In vitro</i> and <i>in vivo</i> cytotoxic activity of anti-human leukemia monoclonal antibodies SN5c and SN6 daunorubicin conjugates. <u>Leuk Res. 13 (8): 699-707.</u> 3. Riemann, D. <i>et al.</i> (2001) Caveolae/lipid rafts in fibroblast-like synoviocytes: ectopeptidase-rich membrane microdomains. <u>Biochem J. 354 (Pt 1): 47-55.</u> 4. Diaz-Romero, J. <i>et al.</i> (2008) Immunophenotypic changes of human articular chondrocytes during monolayer culture reflect <i>bona fide</i> dedifferentiation rather than amplification of progenitor
Storage in frost free freezers is not recommended. This product is photosensitive and should be protected from light. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use. Shelf Life 18 months from date of despatch. Acknowledgements This product is provided under an intellectual property licence from Life Technologies Corporation. The transfer of this product is contingent on the buyer using the purchase product solely in research, excluding contract research or any fee for service research, and the buyer must not sell or otherwise transfer this product or its components for (a) diagnostic, therapeutic or prophylactic purposes; (b) testing, analysis or screening services, or information in return for compensation on per-test basis; (c) manufacturing or quality assurance or quality control, or (d) resale, whether or not resold for use in research. For information on purchasing a license to this product for purpose other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad CA 92008 USA or outlicensing@thermofisher.com	Storage	Store at +4°C or at -20°C if preferred.
protected from light. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use. Shelf Life 18 months from date of despatch. Acknowledgements This product is provided under an intellectual property licence from Life Technologies Corporation. The transfer of this product is contingent on the buyer using the purchase product solely in research, excluding contract research or any fee for service research, and the buyer must not sell or otherwise transfer this product or its components for (a) diagnostic, therapeutic or prophylactic purposes; (b) testing, analysis or screening services, or information in return for compensation on per-test basis; (c) manufacturing or quality assurance or quality control, or (d) resale, whether or not resold for use in research. For information on purchasing a license to this product for purpose other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad CA 92008 USA or outlicensing@thermofisher.com		This product should be stored undiluted.
contain a precipitate we recommend microcentrifugation before use.Shelf Life18 months from date of despatch.AcknowledgementsThis product is provided under an intellectual property licence from Life Technologies Corporation. The transfer of this product is contingent on the buyer using the purchase product solely in research, excluding contract research or any fee for service research, and the buyer must not sell or otherwise transfer this product or its components for (a) diagnostic, therapeutic or prophylactic purposes; (b) testing, analysis or screening services, or information in return for compensation on per-test basis; (c) manufacturing or quality assurance or quality control, or (d) resale, whether or not resold for use in research. For information on purchasing a license to this product for purpose other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad CA 92008 USA or outlicensing@thermofisher.com		
Acknowledgements This product is provided under an intellectual property licence from Life Technologies Corporation. The transfer of this product is contingent on the buyer using the purchase product solely in research, excluding contract research or any fee for service research, and the buyer must not sell or otherwise transfer this product or its components for (a) diagnostic, therapeutic or prophylactic purposes; (b) testing, analysis or screening services, or information in return for compensation on per-test basis; (c) manufacturing or quality assurance or quality control, or (d) resale, whether or not resold for use in research. For information on purchasing a license to this product for purpose other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad CA 92008 USA or outlicensing@thermofisher.com		
The transfer of this product is contingent on the buyer using the purchase product solely in research, excluding contract research or any fee for service research, and the buyer must not sell or otherwise transfer this product or its components for (a) diagnostic, therapeutic or prophylactic purposes; (b) testing, analysis or screening services, or information in return for compensation on per-test basis; (c) manufacturing or quality assurance or quality control, or (d) resale, whether or not resold for use in research. For information on purchasing a license to this product for purpose other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad CA 92008 USA or outlicensing@thermofisher.com	Shelf Life	18 months from date of despatch.
Health And Safety Material Safety Datasheet documentation #10041 available at:	Acknowledgements	research, excluding contract research or any fee for service research, and the buyer must not sell or otherwise transfer this product or its components for (a) diagnostic, therapeutic or prophylactic purposes; (b) testing, analysis or screening services, or information in return for compensation on a per-test basis; (c) manufacturing or quality assurance or quality control, or (d) resale, whether or not resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way,
Information 10041: <u>https://www.bio-rad-antibodies.com/uploads/MSDS/10041.pdf</u>		-
Regulatory For research purposes only	Regulatory	For research purposes only

Related Products

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL: Alexa Fluor® 647 (MCA928A647)

Recommended Useful Reagents

HUMAN SEROBLOCK (BUF070A) HUMAN SEROBLOCK (BUF070B)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europ
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739	
	Email: antibody_sales_us@bio-rad.com		Email: antibody_sales_uk@bio-rad.com	

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com

'M300170:170105'

Europe

Printed on 21 Jun 2018

© 2018 Bio-Rad Laboratories Inc | Legal | Imprint