

## Datasheet: MCA1749GA

<b>Description:</b>	MOUSE ANTI PIG CD4 ALPHA
<b>Specificity:</b>	CD4 ALPHA
<b>Other names:</b>	CD4
<b>Format:</b>	Purified
<b>Product Type:</b>	Monoclonal Antibody
<b>Clone:</b>	MIL17
<b>Isotype:</b>	IgG2b
<b>Quantity:</b>	0.1 mg

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			1/25 - 1/200
Immunohistology - Frozen (1)	▪			
Immunohistology - Paraffin		▪		
ELISA			▪	
Immunoprecipitation			▪	
Western Blotting			▪	

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

**(1)The epitope recognised by this antibody is reported to be sensitive to formaldehyde fixation and tissue processing. Bio-Rad recommends the use of acetone fixation for frozen sections.**

<b>Target Species</b>	Pig
<b>Product Form</b>	Purified IgG - liquid
<b>Preparation</b>	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant
<b>Buffer Solution</b>	Phosphate buffered saline
<b>Preservative Stabilisers</b>	0.09% Sodium Azide (NaN <sub>3</sub> )
<b>Carrier Free</b>	Yes
<b>Approx. Protein Concentrations</b>	IgG concentration 1.0 mg/ml

**Immunogen**

Leucocytes isolated from porcine gut lamina propria.

**Specificity**

**Mouse anti Porcine CD4 alpha, clone MIL17** recognizes a ~55 kDa porcine homologue to the human CD4 antigen found on the surface of helper-T cells. MIL-17 was confirmed as a member of the CD4 alpha cluster at the 'Third International Workshop on Swine Leukocyte Differentiation Antigens' ([Haverson et al. 2001](#)). Porcine CD4 is a type 1 trans-membrane member of the immunoglobulin superfamily.

Pigs appear unusual amongst mammalian species as they appear to have four populations of resting T lymphocytes. In addition to the two populations of mutually exclusive CD4+/CD8- and CD4-/CD8+ lymphocytes, they also appear to have significant populations of CD4-/CD8- and CD4+/CD8+ cells. Lymphoblasts with a double positive phenotype have been described in other species but this is not the case for mature T lymphocytic cells ([Saalmuller et al. 1987](#))

Mouse anti Pig CD4 alpha, clone MIL17 stains a population of cells with characteristic lymphocyte morphology in immunohistochemistry ([Inman et al. 2010](#)).

**Flow Cytometry**

Use 10ul of the suggested working dilution to label 10<sup>6</sup> cells in 100ul

**References**

1. Saalmüller A *et al.* (2001) Summary of workshop findings for porcine T-lymphocyte-specific monoclonal antibodies. [Vet Immunol Immunopathol. 80 \(1-2\): 35-52.](#)
2. Castellano, G. *et al.* (2010) Therapeutic targeting of classical and lectin pathways of complement protects from ischemia-reperfusion-induced renal damage. [Am J Pathol. 176: 1648-59.](#)
3. Inman, C.F. *et al.* (2010) Dendritic cells interact with CD4 T cells in intestinal mucosa. [J Leukoc Biol. 88 \(3\): 571-8.](#)
4. Kick AR *et al.* (2011) Evaluation of peripheral lymphocytes after weaning and vaccination for *Mycoplasma hyopneumoniae*. [Res Vet Sci. 91 \(3\): e68-72.](#)
5. Kick, A.R. *et al.* (2012) Effects of stress associated with weaning on the adaptive immune system in pigs. [J Anim Sci. 90: 649-56.](#)
6. Goujon, J.M. *et al.* (2000) Influence of cold-storage conditions on renal function of autotransplanted large pig kidneys. [Kidney Int. 58: 838-50.](#)
7. Tambuyzer BR *et al.* (2012) Osteopontin alters the functional profile of porcine microglia *in vitro*. [Cell Biol Int. 36 \(12\): 1233-8.](#)
8. Tuchscherer, M. *et al.* (2012) Effects of inadequate maternal dietary protein:carbohydrate ratios during pregnancy on offspring immunity in pigs. [BMC Vet Res. 8: 232.](#)
9. Cao, D. *et al.* (2010) Synthetic innate defence regulator peptide enhances in vivo immunostimulatory effects of CpG-ODN in newborn piglets. [Vaccine. 28: 6006-13.](#)
10. Clapperton, M. *et al.* (2005) Associations of weight gain and food intake with leukocyte sub-sets in Large White pigs [Livestock Production Science 96: 249-60](#)
11. Clapperton, M. *et al.* (2005) Innate immune traits differ between Meishan and Large White pigs. [Vet Immunol Immunopathol. 104: 131-44.](#)
12. Clapperton, M. *et al.* (2008) Pig peripheral blood mononuclear leucocyte subsets are heritable and genetically correlated with performance. [Animal. 2: 1575-84.](#)
13. Faure, J.P. *et al.* (2002) Polyethylene glycol reduces early and long-term cold ischemia-reperfusion and renal medulla injury. [J Pharmacol Exp Ther. 2002 Sep;302\(3\):861-70.](#)
14. Faure, J.P. *et al.* (2004) Evidence for protective roles of polyethylene glycol plus high sodium solution and trimetazidine against consequences of renal medulla ischaemia during cold preservation and reperfusion in a pig kidney model. [Nephrol Dial Transplant. 19: 1742-51.](#)
15. Inman, C.F. *et al.* (2012) Neonatal colonisation expands a specific intestinal antigen-presenting cell subset prior to CD4 T-cell expansion, without altering T-cell repertoire. [PLoS One. 7\(3\): e33707.](#)
16. Kick, A.R. *et al.* (2012) Effects of stress associated with weaning on the adaptive immune system in pigs. [J Anim Sci. 90: 649-56.](#)

17. Langerhuus, S.N. *et al.* (2010) Brief report: biomarkers of aortic vascular prosthetic graft infection in a porcine model with *Staphylococcus aureus*. [Eur J Clin Microbiol Infect Dis. 29: 1453-6.](#)
18. Lu, X. *et al.* (2012) Genome-wide association study for T lymphocyte subpopulations in swine. [BMC Genomics. 13: 488.](#)
19. Monroy-Salazar, H.G. *et al.* (2012) Effects of a live yeast dietary supplement on fecal coliform counts and on peripheral blood CD4+ and CD8+ lymphocyte subpopulations in nursery pigs. [J Swine Health Prod 20: 276-282.](#)
20. Shi, K. *et al.* (2008) Changes in peripheral blood leukocyte subpopulations in piglets co-infected experimentally with porcine reproductive and respiratory syndrome virus and porcine circovirus type 2. [Vet Microbiol. 129: 367-77.](#)
21. Spreeuwenberg, M.A. *et al.* (2001) Small intestine epithelial barrier function is compromised in pigs with low feed intake at weaning. [J Nutr. 131: 1520-7.](#)
22. Tambuyzer, B.R. *et al.* (2012) Osteopontin alters the functional profile of porcine microglia in vitro. [Cell Biol Int. 36: 1233-8.](#)
23. Zelnickova, P. *et al.* (2007) Intracellular cytokine detection by flow cytometry in pigs: fixation, permeabilization and cell surface staining. [J Immunol Methods. 327: 18-29.](#)
24. Kvist, P.H. *et al.* (2010) Effect of subcutaneous glucose sensor implantation on skin mRNA expression in pigs. [Diabetes Technol Ther. 12: 791-9.](#)
25. Lefevre, E.A. *et al.* (2012) Immune responses in pigs vaccinated with adjuvanted and non-adjuvanted A(H1N1)pdm/09 influenza vaccines used in human immunization programmes. [PLoS One. 7\(3\): e32400.](#)
26. Akershoek, J.J. *et al.* (2016) Cell therapy for full-thickness wounds: are fetal dermal cells a potential source? [Cell Tissue Res. 364 \(1\): 83-94.](#)
27. Liu J *et al.* (2016) The Role of Porcine Monocyte Derived Dendritic Cells (MoDC) in the Inflammation Storm Caused by *Streptococcus suis* Serotype 2 Infection. [PLoS One. 11 \(3\): e0151256.](#)
28. Liermann, W. *et al.* (2016) Effects of two commercial diets and technical feed treatment on stomach lesions and immune system of fattening pigs. [J Anim Physiol Anim Nutr \(Berl\). Nov 2. \[Epub ahead of print\]](#)
29. Gardner, D.S. *et al.* (2016) Remote effects of acute kidney injury in a porcine model. [Am J Physiol Renal Physiol. 310 \(4\): F259-71.](#)
30. Hemmink, J.D. *et al.* (2016) Distinct immune responses and virus shedding in pigs following aerosol, intra-nasal and contact infection with pandemic swine influenza A virus, A(H1N1)09. [Vet Res. 47 \(1\): 103.](#)
31. Dąbrowski, M. *et al.* (2017) The Effect of Deoxynivalenol on Selected Populations of Immunocompetent Cells in Porcine Blood-A Preliminary Study. [Molecules. 22 \(5\)Apr 26 \[Epub ahead of print\].](#)
32. Hsu, W.T. *et al.* (2013) Prostaglandin E2 potentiates mesenchymal stem cell-induced IL-10+IFN-γ+CD4+ regulatory T cells to control transplant arteriosclerosis. [J Immunol. 190 \(5\): 2372-80.](#)

---

**Further Reading**

1. Piriou-Guzylack, L. (2008) Membrane markers of the immune cells in swine: an update. [Vet Res. 39: 54.](#)

---

**Storage**

Store at +4°C or at -20°C if preferred.

This product should be stored undiluted.

Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

---

**Shelf Life** 18 months from date of despatch

**Health And Safety Information** Material Safety Datasheet documentation #10040 available at:  
10040: <https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf>

**Regulatory** For research purposes only

## Related Products

### Recommended Secondary Antibodies

Goat Anti Mouse IgG (STAR76...) [RPE](#)  
Goat Anti Mouse IgG IgA IgM (STAR87...) [Alk. Phos.](#), [HRP](#)  
Rabbit Anti Mouse IgG (STAR9...) [FITC](#)  
Goat Anti Mouse IgG (STAR77...) [HRP](#)  
Rabbit Anti Mouse IgG (STAR12...) [RPE](#)  
Goat Anti Mouse IgG (Fc) (STAR120...) [FITC](#), [HRP](#)  
Rabbit Anti Mouse IgG (STAR8...) [DyLight@800](#)  
Goat Anti Mouse IgG (STAR70...) [FITC](#)  
Rabbit Anti Mouse IgG (STAR13...) [HRP](#)  
Human Anti Mouse IgG2b (HCA038...) [FITC](#), [HRP](#)  
Goat Anti Mouse IgG (H/L) (STAR117...) [Alk. Phos.](#), [DyLight@488](#), [DyLight@549](#),  
[DyLight@649](#), [DyLight@680](#), [DyLight@800](#),  
[FITC](#), [HRP](#)

### Recommended Negative Controls

[MOUSE IgG2b NEGATIVE CONTROL \(MCA691\)](#)

### Recommended Useful Reagents

[MOUSE ANTI PIG CD45 \(MCA1222GA\)](#)

[MOUSE ANTI PIG wCD8 ALPHA \(MCA1223GA\)](#)

[RAT ANTI HUMAN CD3 \(MCA1477\)](#)

**North & South** Tel: +1 800 265 7376

**America** Fax: +1 919 878 3751

Email: [antibody\\_sales\\_us@bio-rad.com](mailto:antibody_sales_us@bio-rad.com)

**Worldwide**

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: [antibody\\_sales\\_uk@bio-rad.com](mailto:antibody_sales_uk@bio-rad.com)

**Europe**

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: [antibody\\_sales\\_de@bio-rad.com](mailto:antibody_sales_de@bio-rad.com)

'M315381:180503'

**Printed on 20 Jun 2018**

© 2018 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)