

Datasheet: MCA199

Description:	RAT ANTI MOUSE IgM HEAVY CHAIN
Specificity:	IgM HEAVY CHAIN
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	LO-MM-9
Isotype:	IgG2a
Quantity:	0.25 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			▪	
Immunohistology - Frozen	▪			
Immunohistology - Paraffin			▪	
ELISA	▪			5ug/ml (as a coating antibody)
Immunoprecipitation			▪	
Western Blotting			▪	

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Mouse
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on mouse IgM/Sepharose 4B from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.1% Sodium Azide
Approx. Protein Concentrations	IgG concentration 1 mg/ml
Immunogen	Polyclonal and monoclonal mouse IgM.
External Database Links	UniProt:

[P01872](#) [Related reagents](#)

[P01873](#) [Related reagents](#)

Entrez Gene:

[16019](#) Ighm [Related reagents](#)

[16019](#) Ighm [Related reagents](#)

Fusion Partners Spleen cells from immunised LOU/c rats were fused with cells of the IR983F rat myeloma cell line.

Specificity **Rat anti Mouse IgM, clone LO-MM-9** is directed against the mu chain of mouse IgM.

References

1. Achtman AH *et al.* (2003) *Plasmodium chabaudi chabaudi* infection in mice induces strong B cell responses and striking but temporary changes in splenic cell distribution. [J Immunol. 171 \(1\): 317-24.](#)
2. Bazin, H. *et al.* (1984) Rat monoclonal antibodies. II. A rapid and efficient method of purification from ascitic fluid or serum. [J Immunol Methods. 71: 9-16.](#)
3. Bazin, H. *et al.* (1974) Three classes and four (sub)classes of rat immunoglobulins: IgM, IgA, IgE and IgG1, IgG2a, IgG2b, IgG2c. [Eur J Immunol. 4 \(1\): 44-8.](#)
4. Bermejo, D.A. *et al.* (2011) *Trypanosoma cruzi* infection induces a massive extrafollicular and follicular splenic B-cell response which is a high source of non-parasite-specific antibodies. [Immunology. 132 \(1\): 123-33.](#)
5. Busund, L.T. *et al.* (2003) Spontaneously formed tumorigenic hybrids of Meth A sarcoma cells and macrophages *in vivo*. [Int J Cancer. 106 \(2\): 153-9.](#)
6. Huang, C.H. *et al.* (2011) Airway inflammation and IgE production induced by dust mite allergen-specific memory/effector Th2 cell line can be effectively attenuated by IL-35. [J Immunol. 187: 462-71.](#)
7. Sreeranthreddy, P. *et al.* (2015) A three-dimensional model of the human blood-brain barrier to analyse the transport of nanoparticles and astrocyte/endothelial interactions. [F1000Res. 4: 1279.](#)

Storage Store at +4°C or at -20°C if preferred.

This product should be stored undiluted.

Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

Shelf Life 18 months from date of despatch.

Health And Safety Information Material Safety Datasheet documentation available at:
Material Safety Datasheet Documentation #10303 available at:
<https://www.bio-rad-antibodies.com/uploads/MSDS/10303.pdf>

Regulatory For research purposes only

Related Products

Recommended Secondary Antibodies

Rabbit Anti Rat IgG (STAR16...)	DyLight®800
Goat Anti Rat IgG (STAR73...)	RPE
Rabbit Anti Rat IgG (STAR21...)	HRP

Rabbit Anti Rat IgG (STAR17...) [FITC](#)
Goat Anti Rat IgG (MOUSE ADSORBED) (STAR71...) [DyLight®549](#), [DyLight®649](#), [DyLight®800](#)
Goat Anti Rat IgG (STAR131...) [Alk. Phos.](#), [Biotin](#)
Goat Anti Rat IgG (STAR69...) [FITC](#)
Goat Anti Rat IgG (STAR72...) [HRP](#)

Recommended Negative Controls

[RAT IgG2a NEGATIVE CONTROL \(MCA1212\)](#)

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com
----------------------------------	---	------------------	---	---------------	---

'M314695:180412'

Printed on 13 Apr 2018

© 2018 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)