

# Datasheet: MCA2186

| Description:  | RAT ANTI MOUSE CD22 |  |  |  |  |
|---------------|---------------------|--|--|--|--|
| Specificity:  | CD22                |  |  |  |  |
| Other names:  | Lyb-8               |  |  |  |  |
| Format:       | Purified            |  |  |  |  |
| Product Type: | Monoclonal Antibody |  |  |  |  |
| Clone:        | OX-96               |  |  |  |  |
| lsotype:      | lgG1                |  |  |  |  |
| Quantity:     | 0.25 mg             |  |  |  |  |
|               |                     |  |  |  |  |

## **Product Details**

| Applications                      | This product has been rep   | orted to wo  | ork in the fo | llowing applications. Th    | is information is derived   |  |  |  |
|-----------------------------------|---|--------------|---------------|-----------------------------|-----------------------------|--|--|--|
|                                   | from testing within our labo  | oratories, p | eer-reviewe   | ed publications or perso    | nal communications from     |  |  |  |
|                                   | the originators. Please refe  | er to refere | nces indica   | ted for further information | on. For general protocol    |  |  |  |
|                                   | recommendations, please visit www.bio-rad-antibodies.com/protocols.   |              |               |                             |                             |  |  |  |
|                                   |   | Yes          | No            | Not Determined              | Suggested Dilution          |  |  |  |
|                                   | Flow Cytometry  | •            |               |                             | 1/50 - 1/100                |  |  |  |
|                                   | Immunohistology - Frozen  |              |               |                             |                             |  |  |  |
|                                   | Immunohistology - Paraffin  | •            |               |                             |                             |  |  |  |
|                                   | ELISA   | •            |               |                             |                             |  |  |  |
|                                   | Immunoprecipitation   | •            |               |                             |                             |  |  |  |
|                                   | Western Blotting  | •            |               |                             |                             |  |  |  |
|                                   | Where this antibody has n   | ot been tes  | sted for use  | in a particular techniqu    | e this does not necessarily |  |  |  |
|                                   | exclude its use in such pro   | ocedures. S  | Suggested v   | working dilutions are giv   | ven as a guide only. It is  |  |  |  |
|                                   |   |              |               |                             |                             |  |  |  |
|                                   | recommended that the user titrates the antibody for use in their own system using appropriate negative/poistive controls. |              |               |                             |                             |  |  |  |
| Target Species                    | Mouse   |              |               |                             |                             |  |  |  |
| Product Form                      | Purified IgG - liquid   |              |               |                             |                             |  |  |  |
| Preparation                       | Purified IgG prepared by affinity chromatography on Protein G   |              |               |                             |                             |  |  |  |
| Buffer Solution                   | Phosphate buffered saline   |              |               |                             |                             |  |  |  |
| Preservative<br>Stabilisers       | 0.09% Sodium Azide  |              |               |                             |                             |  |  |  |
| Carrier Free                      | Yes   |              |               |                             |                             |  |  |  |
| Approx. Protein<br>Concentrations | IgG concentration 1.0 mg/ml   |              |               |                             |                             |  |  |  |
| External Database<br>Links        | UniProt:  |              |               |                             |                             |  |  |  |

|                                  | P35329 Related reagents  |  |  |  |  |
|----------------------------------|--|--|--|--|--|
|                                  | Entrez Gene:<br><u>12483</u> Cd22 <u>Related reagents</u>  |  |  |  |  |
| Synonyms                         | Lyb-8, Siglec2   |  |  |  |  |
| Specificity                      | <b>Rat anti Mouse CD22 antibody, clone OX-96</b> recognizes domain 1 of the murine cell surface glycoprotein CD22, which is a member of the sialoadhesin family. CD22 is expressed on a subpopulation of mature B-lymphocytes and may modulate signalling through the B-cell antigen receptor. Rat anti Mouse CD22 antibody, clone OX-96 does not block CD22 function. |  |  |  |  |
| Flow Cytometry                   | Use 10ul of the suggested working dilution to label 10 <sup>6</sup> cells in 100ul.  |  |  |  |  |
| Storage                          | Store at +4°C or at -20°C if preferred.  |  |  |  |  |
|                                  | This product should be stored undiluted.   |  |  |  |  |
|                                  | Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.   |  |  |  |  |
| Shelf Life                       | 18 months from date of despatch.   |  |  |  |  |
| Health And Safety<br>Information | Material Safety Datasheet documentation #10040 available at:<br>10040: <u>https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf</u>  |  |  |  |  |
| Regulatory                       | For research purposes only   |  |  |  |  |

## **Related Products**

#### **Recommended Secondary Antibodies**

| Rabbit An  | ti Rat IgG (STAR16)             |                | DyLight®800                  |          |                                      |  |  |  |  |
|--|---------------------------------|----------------|------------------------------|----------|--------------------------------------|--|--|--|--|
| Goat Anti Rat IgG (STAR73)   |                                 |                | RPE                          |          |                                      |  |  |  |  |
| Rabbit An  | ti Rat IgG (STAR21)             |                | HRP                          |          |                                      |  |  |  |  |
| Rabbit An  |                                 |                |                              |          |                                      |  |  |  |  |
| Goat Anti Rat IgG (MOUSE ADSORBED) (STAR71) <u>DyLight®549</u> , <u>DyLight®649</u> , <u>DyLight®800</u> |                                 |                |                              |          |                                      |  |  |  |  |
| Goat Anti  | Rat IgG (STAR131)               |                | Alk. Phos., Biotin           |          |                                      |  |  |  |  |
| Goat Anti  | Rat IgG (STAR69)                |                | <u>FITC</u>                  |          |                                      |  |  |  |  |
| Goat Anti  | Rat IgG (STAR72)                |                | <u>HRP</u>                   |          |                                      |  |  |  |  |
| Recommended Negative Controls  |                                 |                |                              |          |                                      |  |  |  |  |
| <u>RAT lgG1</u>  | NEGATIVE CONTROL (M             | <u>CA1211)</u> |                              |          |                                      |  |  |  |  |
| North & South  | Tel: +1 800 265 7376            | Worldwide      | Tel: +44 (0)1865 852 700     | Europe   | Tel: +49 (0) 89 8090 95 21           |  |  |  |  |
| America  | Fax: +1 919 878 3751            | l              | Fax: +44 (0)1865 852 739     |          | Fax: +49 (0) 89 8090 95 50           |  |  |  |  |
|  | Email: antibody_sales_us@bio-ra | ad.com         | Email: antibody_sales_uk@bic | -rad.com | Email: antibody_sales_de@bio-rad.com |  |  |  |  |
|  |                                 |                | 'M315530:180503'             |          |                                      |  |  |  |  |

#### Printed on 05 May 2018

© 2018 Bio-Rad Laboratories Inc | Legal | Imprint