

Datasheet: MCA2246

Description:	MOUSE ANTI HUMAN AMH
Specificity:	AMH
Other names:	ANTI MULLERIAN HORMONE
Format:	Con S/N
Product Type:	Monoclonal Antibody
Clone:	5/6
Isotype:	IgG1
Quantity:	1 ml

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			■	
Immunohistology - Frozen			■	
Immunohistology - Paraffin (1)	■			1/20 - 1/40
ELISA			■	
Immunoprecipitation			■	
Western Blotting	■			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

(1) This product requires antigen retrieval using heat treatment prior to staining of paraffin sections. Sodium citrate buffer pH 6.0 is recommended for this purpose.

Target Species	Human
Species Cross Reactivity	Reacts with: Mouse, Sheep, Squirrel monkey, Baboon N.B. Antibody reactivity and working conditions may vary between species.
Product Form	Concentrated Tissue Culture Supernatant - liquid
Preservative Stabilisers	0.1% Sodium Azide
Immunogen	Synthetic peptide derived from human AMH (VPTAYAGKLLISLSEERISAHHPNMVATEC)
External Database Links	UniProt: P03971 Related reagents Entrez Gene:

Synonyms	MIF
Fusion Partners	Spleen cells from immunised T/O outbred mice were fused with cells of the SP2/0 myeloma cell line.
Specificity	Mouse anti Human AMH, clone 5/6 recognizes human anti-mullerian hormone (AMH), originally classified as a foetal testicular hormone that inhibits Mullerian duct development. AMH is expressed post-natally by immature Sertoli cells, and to a lesser degree by granulosa cells. AMH plays a role in testicular differentiation and in the regulation of ovarian follicle growth. AMH is a member of the TGF beta superfamily. It is secreted as a homodimeric ~140 kDa disulphide linked precursor that is cleaved to release the mature ~30 kDa homodimer.
Histology Positive Control Tissue	Ovary
References	1. Van Saen, D. <i>et al.</i> (2010) Meiotic activity in orthotopic xenografts derived from human postpubertal testicular tissue. Hum Reprod. 26: 282-93. 2. Gruijters, M.J <i>et al.</i> (2003) Anti-Müllerian hormone and its role in ovarian function. Mol Cell Endocrinol. 211 (1-2): 85-90. 3. Weenen, C. <i>et al.</i> (2004) Anti-Mullerian hormone expression pattern in the human ovary: potential implications for initial and cyclic follicle recruitment. Mol Hum Reprod10: 77-83. 4. Papanastasopoulos, P. <i>et al.</i> (2009) A case of complete androgen insensitivity syndrome presenting with incarcerated inguinal hernia: an immunohistochemical study. Fertil Steril. 92: 1169.e11-4. 5. Campbell, B.K. (2009) The endocrine and local control of ovarian follicle development in the ewe Anim. Reprod. 6:159-71 6. Walker, M.L. <i>et al.</i> (2009) Ovarian aging in squirrel monkeys (<i>Saimiri sciureus</i>). Reproduction. 138: 793-9. 7. Sobinoff, A.P. <i>et al.</i> (2011) Understanding the villain: DMBA induced pre-antral ovotoxicity involves selective follicular destruction and primordial follicle activation through PI3K/Akt and mTOR signalling. Toxicol Sci. 123: 563-75. 8. Van Saen, D. <i>et al.</i> (2011) Can pubertal boys with Klinefelter syndrome benefit from spermatogonial stem cell banking? Hum Reprod. 27: 323-30. 9. David, A. <i>et al.</i> (2012) Effect of cryopreservation and transplantation on the expression of kit ligand and anti-Müllerian hormone in human ovarian tissue Hum Reprod. 27: 1088-95. 10. Kevenaar, M.E. <i>et al.</i> (2006) Serum anti-mullerian hormone levels reflect the size of the primordial follicle pool in mice. Endocrinology. 147: 3228-34. 11. Campbell, B.K. <i>et al.</i> (2012) The role of anti-Müllerian hormone (AMH) during follicle development in a monovulatory species (sheep). Endocrinology. 153: 4533-43. 12. Amorim, C.A. <i>et al.</i> (2013) Successful vitrification and autografting of baboon (<i>Papio anubis</i>) ovarian tissue. Hum Reprod. 28: 2146-56. 13. Parlakgumus, H.A. <i>et al.</i> (2015) GnRH agonists and antagonists in rescue for cyclophosphamide-induced ovarian damage: friend or foe? Arch Gynecol Obstet. 291 (6): 1403-10. 14. ThemmenA, P.N. <i>et al.</i> (2016) The use of anti-Müllerian hormone as diagnostic for gonadectomy status in dogs. Theriogenology. 86 (6): 1467-74. 15. Saatcioglu, H.D. <i>et al.</i> (2016) Control of Oocyte Reawakening by Kit. PLoS Genet. 12 (8): e1006215. 16. Calvopina, J.H. <i>et al.</i> (2015) The Aorta-Gonad-Mesonephros Organ Culture Recapitulates 5hmC Reorganization and Replication-Dependent and Independent Loss of DNA Methylation in the

Germline. [Stem Cells Dev. 24 \(13\): 1536-45.](#)

17. Camlin, N.J. *et al.* (2016) Maternal Smoke Exposure Impairs the Long-Term Fertility of Female Offspring in a Murine Model. [Biol Reprod. 94 \(2\): 39.](#)

18. Ohta, K. *et al.* (2012) Male differentiation of germ cells induced by embryonic age-specific Sertoli cells in mice. [Biol Reprod. 86 \(4\): 112.](#)

19. Bazzano, M.V. *et al.* (2015) Obesity induced by cafeteria diet disrupts fertility in the rat by affecting multiple ovarian targets. [Reprod Biomed Online. 31 \(5\): 655-67.](#)

20. Díaz, P.U. *et al.* (2018) Altered Expression of Anti-Müllerian Hormone during the Early Stage of Bovine Persistent Ovarian Follicles. [J Comp Pathol. 158: 22-31.](#)

Storage

Store at +4°C or at -20°C if preferred.

This product should be stored undiluted.

Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

Shelf Life

18 months from date of despatch

Health And Safety Information

Material Safety Datasheet documentation #10336 available at:
10336: <https://www.bio-rad-antibodies.com/uploads/MSDS/10336.pdf>

Regulatory

For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (STAR76...)	RPE
Goat Anti Mouse IgG IgA IgM (STAR87...)	Alk. Phos. , HRP
Rabbit Anti Mouse IgG (STAR9...)	FITC
Goat Anti Mouse IgG (STAR77...)	HRP
Rabbit Anti Mouse IgG (STAR12...)	RPE
Goat Anti Mouse IgG (Fc) (STAR120...)	FITC , HRP
Rabbit Anti Mouse IgG (STAR8...)	DyLight®800
Goat Anti Mouse IgG (STAR70...)	FITC
Rabbit Anti Mouse IgG (STAR13...)	HRP
Human Anti Mouse IgG1 (HCA036...)	HRP
Goat Anti Mouse IgG (H/L) (STAR117...)	Alk. Phos. , DyLight®488 , DyLight®549 , DyLight®649 , DyLight®680 , DyLight®800 , FITC , HRP

North & South America Tel: +1 800 265 7376
Fax: +1 919 878 3751
Email: antibody_sales_us@bio-rad.com

Worldwide Tel: +44 (0)1865 852 700
Fax: +44 (0)1865 852 739
Email: antibody_sales_uk@bio-rad.com

Europe Tel: +49 (0) 89 8090 95 21
Fax: +49 (0) 89 8090 95 50
Email: antibody_sales_de@bio-rad.com

'M316648:180604'

Printed on 01 Aug 2018