

Datasheet: MCA2421

Description:	MOUSE ANTI HUMAN CD244
Specificity:	CD244
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	2B4.69
Isotype:	IgG1
Quantity:	0.2 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			1/50 - 1/200
Immunohistology - Frozen			▪	
Immunohistology - Paraffin			▪	
ELISA			▪	
Immunoprecipitation	▪			
Western Blotting			▪	

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Human
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide
Carrier Free	Yes
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	CD244 Fusion protein.
External Database	UniProt:

Links[Q9BZW8](#) [Related reagents](#)**Entrez Gene:**[51744](#) CD244 [Related reagents](#)**Synonyms**

2B4

Fusion Partners

Spleen cells from immunised Balb/c mice were fused with cells of the NS-1 myeloma cell line.

Specificity

Mouse anti Human CD244 antibody, clone 2B4.69 recognizes the CD244 cell surface antigen, also known as natural killer receptor 2B4 (NKG2B4). CD244 is a 370 amino acid single pass type I transmembrane glycoprotein with two [Ig-like V type](#) domains. CD244 is a member of the SLAM family of receptors which is expressed on natural killer (NK) cells, gamma delta T cells, CD14+ monocytes, and a subset of CD8+ T cells.

CD244 was originally identified as an activating receptor on NK cells, although recent studies suggest that the receptor may have a wide range of activities including NK cell activation, costimulation, or even inhibition, depending on the cell type and stage of differentiation. The ligand of CD244 is [CD48](#), a GPI-anchored membrane protein also belonging to the SLAM family.

Flow CytometryUse 10ul of the suggested working dilution to label 1×10^6 cells in 100ul.**References**

1. Romero, X. *et al.* (2005) CD229 (Ly9) lymphocyte cell surface receptor interacts homophilically through its N-terminal domain and relocalizes to the immunological synapse. [J Immunol. 174 \(11\): 7033-42.](#)
2. Bengsch, B. *et al.* (2014) Restoration of HBV-specific CD8+ T cell function by PD-1 blockade in inactive carrier patients is linked to T cell differentiation. [J Hepatol. 61 \(6\): 1212-9.](#)
3. Raziorrouh, B. *et al.* (2010) The Immunoregulatory Role of CD244 in Chronic Hepatitis B Infection and its Inhibitory Potential on Virus-Specific CD81 T-cell Function. [Hepatology. 52: 1934-47.](#)
4. Boussaad, I. *et al.* (2011) Wild-type measles virus interferes with short-term engraftment of human CD34+ hematopoietic progenitor cells. [J Virol. 85: 7710-8.](#)

Storage

Store at +4°C or at -20°C if preferred.

Storage in frost-free freezers is not recommended.

This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

Shelf Life

18 months from date of despatch.

Health And Safety InformationMaterial Safety Datasheet documentation #10040 available at: 10040: <https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf>**Regulatory**

For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (STAR76...)

[RPE](#)Goat Anti Mouse IgG IgA IgM (STAR87...)[Alk. Phos.](#), [HRP](#)

Goat Anti Mouse IgG (H/L) (STAR117...) [Alk. Phos.](#), [DyLight@488](#), [DyLight@549](#),
[DyLight@649](#), [DyLight@680](#), [DyLight@800](#),
[FITC](#), [HRP](#)

Rabbit Anti Mouse IgG (STAR9...) [FITC](#)

Goat Anti Mouse IgG (STAR77...) [HRP](#)

Rabbit Anti Mouse IgG (STAR12...) [RPE](#)

Goat Anti Mouse IgG (Fc) (STAR120...) [FITC](#), [HRP](#)

Rabbit Anti Mouse IgG (STAR8...) [DyLight@800](#)

Goat Anti Mouse IgG (STAR70...) [FITC](#)

Rabbit Anti Mouse IgG (STAR13...) [HRP](#)

Human Anti Mouse IgG1 (HCA036...) [HRP](#)

Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL \(MCA928\)](#)

North & South America Tel: +1 800 265 7376
Fax: +1 919 878 3751
Email: antibody_sales_us@bio-rad.com

Worldwide Tel: +44 (0)1865 852 700
Fax: +44 (0)1865 852 739
Email: antibody_sales_uk@bio-rad.com

Europe Tel: +49 (0) 89 8090 95 21
Fax: +49 (0) 89 8090 95 50
Email: antibody_sales_de@bio-rad.com

'M315709:180503'

Printed on 05 May 2018

© 2018 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)