

Datasheet: MCA2461PE

Description:	RAT ANTI MOUSE CD51:RPE
Specificity:	CD51
Other names:	INTEGRIN ALPHA V
Format:	RPE
Product Type:	Monoclonal Antibody
Clone:	RMV-7
Isotype:	IgG1
Quantity:	100 TESTS

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			Neat - 1/10

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Mouse		
Product Form	Purified IgG conjugated to R. Phycoerythrin (RPE) - lyophilized		
Reconstitution	Reconstitute with 1ml distilled water		
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)
	RPE 488nm laser	496	578
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant.		
Buffer Solution	Phosphate buffered saline		
Preservative	0.09% Sodium Azide		
Stabilisers	1% Bovine Serum Albumin 5% Sucrose		
Immunogen	Cultured LAK cells from Balb/c mice.		
External Database Links	UniProt:		
	P43406	Related reagents	

Entrez Gene:

[16410](#) Itgav [Related reagents](#)

Fusion Partners Spleen cells from immunised SD rats were fused with the cells of the P3X.63Ag8.653 myeloma cell line.

Specificity **Rat anti Mouse CD51 antibody, clone RMV-7** recognizes murine CD51, a ~140 kDa alpha subunit of the vitronectin receptor, which is otherwise known as the integrin alpha v chain. CD51 can form heterodimers at the cell surface with a variety of beta integrins including CD29 and CD61.

Heterodimers of CD51/CD61 function as a receptor for vitronectin, and a wide array of RGD-containing proteins including fibronectin, fibrinogen, von Willebrand factor, laminin, thrombospondin and osteopontin. CD51/CD61 is primarily expressed on myeloid cells and activated T-cells. Alpha-V integrins may play a role in embryo implantation, angiogenesis and wound healing.

Rat anti Mouse CD51 antibody, clone RMV-7 has been reported to block binding of CD51 to vitronectin, fibronectin, and CD31 in some cell types, as well as blocking LAK cell cytotoxicity ([Takahashi *et al.* 1990](#)).

Flow Cytometry Use 10ul of the suggested working dilution to label 10⁶ cells in 100ul.

References

1. Takahashi, K. *et al.* (1990) A murine very late activation antigen-like extracellular matrix receptor involved in CD2- and lymphocyte function-associated antigen-1-independent killer-target cell interaction. [J Immunol. 145 \(12\): 4371-9.](#)
2. Piali, L. *et al.* (1995) CD31/PECAM-1 is a ligand for alpha v beta 3 integrin involved in adhesion of leukocytes to endothelium. [J Cell Biol. 130 \(2\): 451-60.](#)
3. Cui R *et al.* (2007) Abrogation of the interaction between osteopontin and alphavbeta3 integrin reduces tumor growth of human lung cancer cells in mice. [Lung Cancer. 57 \(3\): 302-10.](#)
4. Takahashi F *et al.* (2001) Role of osteopontin in the pathogenesis of bleomycin-induced pulmonary fibrosis. [Am J Respir Cell Mol Biol. 24 \(3\): 264-71.](#)

Further Reading

1. Henderson, N.C. *et al.* (2013) Targeting of αv integrin identifies a core molecular pathway that regulates fibrosis in several organs. [Nat Med. 19 \(12\): 1617-24.](#)

Storage Store at +4°C. DO NOT FREEZE.
This product should be stored undiluted. This product is photosensitive and should be protected from light. Should this product contain a precipitate we recommend microcentrifugation before use.

Shelf Life 12 months from date of reconstitution.

Health And Safety Information Material Safety Datasheet documentation #10075 available at: 10075: <https://www.bio-rad-antibodies.com/uploads/MSDS/10075.pdf>

Regulatory For research purposes only

Related Products

Recommended Useful Reagents

[MOUSE SEROBLOCK FcR \(BUF041A\)](#)

[MOUSE SEROBLOCK FcR \(BUF041B\)](#)

North & South America Tel: +1 800 265 7376
Fax: +1 919 878 3751
Email: antibody_sales_us@bio-rad.com

Worldwide Tel: +44 (0)1865 852 700
Fax: +44 (0)1865 852 739
Email: antibody_sales_uk@bio-rad.com
'M300941:170106'

Europe Tel: +49 (0) 89 8090 95 21
Fax: +49 (0) 89 8090 95 50
Email: antibody_sales_de@bio-rad.com

Printed on 05 May 2018

© 2018 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)