

## Datasheet: MCA2514EL

<b>Description:</b>	MOUSE ANTI HUMAN CD47:Low Endotoxin
<b>Specificity:</b>	CD47
<b>Other names:</b>	SIRP LIGAND
<b>Format:</b>	Low Endotoxin
<b>Product Type:</b>	Monoclonal Antibody
<b>Clone:</b>	1/1A4
<b>Isotype:</b>	IgG2b
<b>Quantity:</b>	0.5 mg

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			1/25 - 1/100
Immunohistology - Frozen	▪			
Immunohistology - Paraffin			▪	
ELISA			▪	
Immunoprecipitation	▪			
Western Blotting			▪	
Functional Assays	▪			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

<b>Target Species</b>	Human
<b>Product Form</b>	Purified IgG - liquid
<b>Preparation</b>	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant
<b>Buffer Solution</b>	Phosphate buffered saline
<b>Preservative Stabilisers</b>	None present.
<b>Carrier Free</b>	Yes
<b>Endotoxin Level</b>	<0.01EU/ug
<b>Approx. Protein Concentrations</b>	IgG concentration 1.0mg/ml

<b>Immunogen</b>	Human erythrocytes.
<b>External Database Links</b>	<p><b>UniProt:</b>  <a href="#">Q08722</a>   <a href="#">Related reagents</a></p> <p><b>Entrez Gene:</b>  <a href="#">961</a>   CD47   <a href="#">Related reagents</a></p>
<b>Synonyms</b>	MER6
<b>Fusion Partners</b>	Spleen cells from immunised Balb/c mice were fused with cells of the mouse NS-1 myeloma cell line.
<b>Specificity</b>	<p><b>Mouse anti Human CD47 antibody, clone 1/1A4</b> recognizes human CD47, also known as integrin-associated protein, a 50kDa glycoprotein expressed on all haematopoietic cell lines, epithelial cells, endothelial cells, fibroblasts and many tumour cell lines.</p> <p>CD47 is involved in several cellular processes including regulation of T cell and dendritic cell activation, regulation of neutrophil (PMN) chemotaxis, caspase-independent apoptosis, and may act as a signal transducer in the regulation of cation fluxes across cell membranes. CD47 has been identified as a ligand for the inhibitory macrophage receptor known as signal regulatory protein alpha (SIRPalpha) and as a receptor for thrombospondin-1.</p> <p>Cross-linking of CD47 with clone 1/1A4 co-stimulates the proliferation of T cells (<a href="#">Waclavicek et al. 1993</a>).</p>
<b>Flow Cytometry</b>	Use 10ul of the suggested working dilution to label 10 <sup>6</sup> cells in 100ul.
<b>Histology Positive Control Tissue</b>	Human Tonsil
<b>References</b>	1. Waclavicek, M. <i>et al.</i> (1997) T cell stimulation via CD47: agonistic and antagonistic effects of CD47 monoclonal antibody 1/1A4. <a href="#">J Immunol. 159 (11): 5345-54.</a>
<b>Further Reading</b>	1. Frazier, W.A. <i>et al.</i> (1999) The thrombospondin receptor integrin-associated protein (CD47) functionally couples to heterotrimeric Gi. <a href="#">J Biol Chem. 274 (13): 8554-60.</a>
<b>Storage</b>	<p>Store at -20°C only.</p> <p>Storage in frost-free freezers is not recommended.</p> <p>This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.</p>
<b>Shelf Life</b>	18 months from date of despatch.
<b>Health And Safety Information</b>	Material Safety Datasheet documentation #10162 available at: 10162: <a href="https://www.bio-rad-antibodies.com/uploads/MSDS/10162.pdf">https://www.bio-rad-antibodies.com/uploads/MSDS/10162.pdf</a>
<b>Regulatory</b>	For research purposes only

## Related Products

## Recommended Secondary Antibodies

Goat Anti Mouse IgG (STAR76...)	<a href="#">RPE</a>
Goat Anti Mouse IgG IgA IgM (STAR87...)	<a href="#">Alk. Phos.</a> , <a href="#">HRP</a>
Rabbit Anti Mouse IgG (STAR9...)	<a href="#">FITC</a>
Goat Anti Mouse IgG (STAR77...)	<a href="#">HRP</a>
Rabbit Anti Mouse IgG (STAR12...)	<a href="#">RPE</a>
Goat Anti Mouse IgG (Fc) (STAR120...)	<a href="#">FITC</a> , <a href="#">HRP</a>
Rabbit Anti Mouse IgG (STAR8...)	<a href="#">DyLight@800</a>
Goat Anti Mouse IgG (STAR70...)	<a href="#">FITC</a>
Rabbit Anti Mouse IgG (STAR13...)	<a href="#">HRP</a>
Human Anti Mouse IgG2b (HCA038...)	<a href="#">FITC</a> , <a href="#">HRP</a>
Goat Anti Mouse IgG (H/L) (STAR117...)	<a href="#">Alk. Phos.</a> , <a href="#">DyLight@488</a> , <a href="#">DyLight@549</a> , <a href="#">DyLight@649</a> , <a href="#">DyLight@680</a> , <a href="#">DyLight@800</a> , <a href="#">FITC</a> , <a href="#">HRP</a>

## Recommended Negative Controls

[MOUSE IgG2b NEGATIVE CONTROL \(MCA691\)](#)

## Recommended Useful Reagents

[HISTAR DETECTION SYSTEM \(STAR3000A\)](#)

[HISTAR DETECTION SYSTEM \(STAR3000B\)](#)

[HISTAR DETECTION SYSTEM \(STAR3000C\)](#)

**North & South** Tel: +1 800 265 7376

**America** Fax: +1 919 878 3751

Email: [antibody\\_sales\\_us@bio-rad.com](mailto:antibody_sales_us@bio-rad.com)

**Worldwide**

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: [antibody\\_sales\\_uk@bio-rad.com](mailto:antibody_sales_uk@bio-rad.com)

**Europe**

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: [antibody\\_sales\\_de@bio-rad.com](mailto:antibody_sales_de@bio-rad.com)

'M315766:180503'

Printed on 20 Jun 2018

---

© 2018 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)