

Datasheet: MCA2515PE

MOUSE ANTI HUMAN CD85j:RPE		
CD85j		
LILRB1		
RPE		
Monoclonal Antibody		
4F9		
lgG1		
100 TESTS		

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol					
	recommendations, please visit www.bio-rad-antibodies.com/protocols.					
	Flow Outomoter	Yes	No	Not Determined	Suggested Dilution	
	Flow Cytometry Neat - 1/5					
Where this product has not been tested for use in a particular technique this does not n						
	exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.					
Target Species	Human					
Product Form	Purified IgG conjugated to R. Phycoerythrin (RPE) - Iyophilized					
Reconstitution	Reconstitute with 1.0ml distilled water					
Max Ex/Em	Fluorophore	Excitation Max	(nm) Emi	ssion Max (nm)		
	RPE 488nm laser	496		578		
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant					
Buffer Solution	Phosphate buffered saline					
Preservative	0.09% Sodium Azide (NaN ₃)					
Stabilisers	1% Bovine Serum Albumin					
	5% Sucrose					
Immunogen	Monocyte derived dend					
External Database Links	UniProt: <u>Q8NHL6</u> Related	l reagents				

	Entrez Gene: <u>10859</u> LILRB1 <u>Related reagents</u>				
Synonyms	ILT2, LIR1, MIR7				
Fusion Partners	Spleen cells from immunised Balb/c mice were fused with cells of the mouse X63-Ag8.653 myeloma cell line.				
Specificity	Mouse anti Human CD85j antibody, clone 4F9 recognizes CD85j, a member of the leukocyte immunoglobulin-like receptor (LIR) family.				
	CD85j is a receptor for MHC Class I molecules and ligand binding results in inhibitory signals and down-regulation of the immune response.				
	CD85j is expressed predominantly on B-cells and monocytes, and at lower levels on dendritic cells, T-cells and natural killer (NK) cells.				
Flow Cytometry	Use 10ul of the suggested working dilution to label 1×10^6 cells in 100ul.				
Further Reading	 Colonna, M. <i>et al.</i> (1999) A novel family of Ig-like receptors for HLA class I molecules that modulate function of lymphoid and myeloid cells. <u>J Leukoc Biol. 66 (3): 375-81.</u> Borges, L. <i>et al.</i> (1997) A family of human lymphoid and myeloid Ig-like receptors, some of which bind to MHC class I molecules. <u>J Immunol. 159 (11): 5192-6.</u> 				
Storage	Prior to reconstitution store at +4°C. After reconstitution store at +4°C. DO NOT FREEZE. This product should be stored undiluted. This product is photosensitive and should be protected from light. Should this product contain a precipitate we recommend microcentrifugation before use.				
Shelf Life	12 months from date of reconstitution.				
Health And Safety Information	Material Safety Datasheet documentation #10075 available at: 10075: <u>https://www.bio-rad-antibodies.com/uploads/MSDS/10075.pdf</u>				
Regulatory	For research purposes only				

Related Products

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL:RPE (MCA928PE)

Recommended Useful Reagents

HUMAN SEROBLOCK (BUF070A) HUMAN SEROBLOCK (BUF070B)

 North & South
 Tel: +1 800 265 7376
 Worldwide

 America
 Fax: +1 919 878 3751
 Email: antibody_sales_us@bio-rad.com

 Tel: +44 (0)1865 852 700
 Europe

 Fax: +44 (0)1865 852 739
 Email: antibody_sales_uk@bio-rad.com

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com

'M312214:180209'

© 2018 Bio-Rad Laboratories Inc | Legal | Imprint