

Datasheet: MCA2747PE

Description:	RAT ANTI MOUSE CD83:RPE
Specificity:	CD83
Other names:	HB15
Format:	RPE
Product Type:	Monoclonal Antibody
Clone:	3D11
Isotype:	IgG2a
Quantity:	100 TESTS

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			Neat
Immunohistology - Frozen			▪	
Immunohistology - Paraffin			▪	
ELISA			▪	
Immunoprecipitation			▪	
Western Blotting			▪	

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Mouse		
Product Form	Purified IgG conjugated to R. Phycoerythrin (RPE) - lyophilized		
Reconstitution	Reconstitute with 1ml distilled water		
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)
	RPE 488nm laser	496	578
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant		
Buffer Solution	Phosphate buffered saline		
Preservative	0.09% Sodium Azide (NaN ₃)		
Stabilisers	1% Bovine Serum Albumin 5% Sucrose		
External Database	UniProt:		

Links[O88324](#) [Related reagents](#)**Entrez Gene:**[12522](#) Cd83 [Related reagents](#)

Fusion Partners	Spleen cells from immunised rats were fused with cells of the P3X63.Ag8.653 mouse myeloma cell line.
Specificity	Rat anti Mouse CD83 antibody, clone 3D11 recognizes murine CD83, a 45 kDa type 1 glycoprotein belonging to the immunoglobulin superfamily. Originally described as a maturation marker for dendritic cells, CD83 plays a role in the regulation of antigen presentation, thymic T-cell maturation, B-cell function and peripheral T-cell activation. Activated dendritic cells and B-cells release a soluble form of CD83 that is reported to have an immunosuppressive effect, suggesting a therapeutic role for sCD83 in the regulation of immune disorders.
Flow Cytometry	Use 10ul of the suggested working dilution to label 1x10 ⁶ cells in 100ul.
References	<ol style="list-style-type: none">1. Fujimoto, Y. & Tedder, T.F. (2006) CD83: a regulatory molecule of the immune system with great potential for therapeutic application. J Med Dent Sci. 53 (2): 85-91.2. He, Y.T. <i>et al.</i> (2016) <i>In vitro</i> generation of cytotoxic T lymphocyte response using dendritic cell immunotherapy in osteosarcoma. Oncol Lett. 12 (2): 1101-6.3. El-Ashmawy, N.E. <i>et al.</i> (2015) <i>In vitro</i> and <i>in vivo</i> studies of the immunomodulatory effect of <i>Echinacea purpurea</i> on dendritic cells. Journal of Genetic Engineering and Biotechnology. 13 (2): 185-92.
Storage	Store at +4°C only. Storage in frost-free freezers is not recommended. This product should be stored undiluted. This product is photosensitive and should be protected from light. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Shelf Life	12 months from date of reconstitution.
Health And Safety Information	Material Safety Datasheet documentation #10075 available at: 10075: https://www.bio-rad-antibodies.com/uploads/MSDS/10075.pdf
Regulatory	For research purposes only

Related Products

Recommended Negative Controls

[RAT IgG2a NEGATIVE CONTROL:RPE \(MCA1212PE\)](#)

Recommended Useful Reagents

[MOUSE SEROBLOCK FcR \(BUF041A\)](#)[MOUSE SEROBLOCK FcR \(BUF041B\)](#)

North & South America Tel: +1 800 265 7376
Fax: +1 919 878 3751
Email: antibody_sales_us@bio-rad.com

Worldwide Tel: +44 (0)1865 852 700
Fax: +44 (0)1865 852 739
Email: antibody_sales_uk@bio-rad.com

Europe Tel: +49 (0) 89 8090 95 21
Fax: +49 (0) 89 8090 95 50
Email: antibody_sales_de@bio-rad.com

'M301021:170106'

