Datasheet: MCA338

Description:	MOUSE ANTI HUMAN FSH BETA 2
Specificity:	FSH BETA 2
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	INN-hFSH-60
Isotype:	IgG1
Quantity:	0.5 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			▪	
Immunohistology - Frozen	▪			
Immunohistology - Paraffin	▪			
ELISA	▪			
Immunoprecipitation			▪	
Western Blotting			▪	

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Human
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein A
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide
Carrier Free	Yes
Approx. Protein Concentrations	IgG concentration 1 mg/ml
Immunogen	Human FSH.
External Database Links	**UniProt:** P01225 Related reagents

	Entrez Gene: 2488 FSHB Related reagents
Fusion Partners	Spleen cells from immunised BALB/c mice were fused with cells of the P3-X63-Ag8.653 myeloma cell line.
Specificity	**Mouse anti HumanFSH beta 2, clone INN-hFSH-60** is directed against the Beta 2 epitope of the Beta subunit of hFSH, INN-hFSH-60 shows strong reactions with hFSH and beta-hFSH, but no cross-reactivity with hTSH, hLH, hCG, alpha-hCG or alpha-hFSH. The recognition site is located near the alpha 1 binding site on the hFSH molecule. It is not compatible with other anti-hFSH-beta antibodies.
Histology Positive Control Tissue	Pituitary Gland
References	1. Berger, P. (1985) [Molecular morphology of placental and pituitary hormones: epitope mapping with monoclonal antibodies]. Wien Klin Wochenschr. 97 (14): 573-81. 2. Schwarz, S. *et al.* (1986) The antigenic surface of human chorionic gonadotropin as mapped by murine monoclonal antibodies. Endocrinology. 118 (1): 189-97.
Storage	Store at +4°C or at -20°C if preferred. This product should be stored undiluted. Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Shelf Life	18 months from date of despatch.
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: 10040: https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (STAR76...)	RPE
Goat Anti Mouse IgG IgA IgM (STAR87...)	Alk. Phos., HRP
Goat Anti Mouse IgG (H/L) (STAR117...)	Alk. Phos., DyLight®488, DyLight®549, DyLight®649, DyLight®680, DyLight®800, FITC, HRP
Rabbit Anti Mouse IgG (STAR9...)	FITC
Goat Anti Mouse IgG (STAR77...)	HRP
Rabbit Anti Mouse IgG (STAR12...)	RPE
Goat Anti Mouse IgG (Fc) (STAR120...)	FITC, HRP
Rabbit Anti Mouse IgG (STAR8...)	DyLight®800
Goat Anti Mouse IgG (STAR70...)	FITC
Rabbit Anti Mouse IgG (STAR13...)	HRP

Human Anti Mouse IgG1 (HCA036...) HRP

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL (MCA928)

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	**Worldwide**	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	**Europe**	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com

'M315910:180503'

Printed on 05 May 2018