

## Datasheet: MCA4660A488T

Description:	HAMSTER ANTI MOUSE CD137: Alexa Fluor® 488			
Specificity:	CD137			
Format:	ALEXA FLUOR® 488			
Product Type:	Monoclonal Antibody			
Clone:	17B5			
lsotype:	lgG			
Quantity:	25 TESTS/0.25ml			

# **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol							
	recommendations, plea	recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .						
		Yes	No	Not Determined	Suggested Dilution			
	Flow Cytometry	•			Neat - 1/10			
	Where this product has not been tested for use in a particular technique this does not nece exclude its use in such procedures. Suggested working dilutions are given as a guide only. recommended that the user titrates the product for use in their own system using appropria negative/positive controls.							
Target Species	Mouse							
Product Form	Purified IgG conjugated	id						
Max Ex/Em	Fluorophore	Excitation Max (	nm) Emi	ssion Max (nm)				
	Alexa Fluor®488	495	,	519				
Preparation	Purified IgG prepared b	y affinity chrom	atography	on Protein G from tissue	e culture supernatant			
Buffer Solution	Phosphate buffered sali	ine						
Preservative	0.09% Sodium Azide (N	laN <sub>3</sub> )						
Stabilisers	1% Bovine Serum Albumin							
Approx. Protein Concentrations	IgG concentration 0.05r	ng/ml						
External Database Links	UniProt: P20334 Related	reagents						
	Entrez Gene: 21942 Tnfrsf9 <u>Re</u>	lated reagents						

Synonyms	Cd137, Ila, Ly63					
Specificity	Hamster anti Mouse CD137 antibody, clone 17B5 recognizes mouse CD137, also known as 4-1BB ligand receptor, a member of the tumour necrosis factor superfamily. CD137 is a potent costimulatory receptor for the growth and functional maturation of activated T-cells in the prese of T-cell receptor signal. It is found on activated T-cells, NK cells, monocytes and dendritic cell Signalling through CD137 triggers T-cell expansion, cytokine production and prevention of activation-induced death of effector T-cells. CD137-mediated activation is distinct from and independent of CD28. Antibody cross-linking of CD137 on NK cells stimulates the secretion of IFN-gamma, cellular proliferation, CD25 expression and responsiveness to IL-2 and is association with tumour activity, but not cytotoxicity.					
	Hamster anti Mouse CD137 antibody, clone 17B5 may be used to block CD137-mediated T-cell proliferation.					
Flow Cytometry	Use 10ul of the suggested working dilution to label $1 \times 10^6$ cells in 100ul.					
	The Fc region of monoclonal antibodies may bind non-specifically to cells expressing low affinity Fc receptors. This may be reduced by using SeroBlock FcR ( <u>BUF041A/B</u> ).					
References	1. Zheng, G. <i>et al.</i> (2004) The 4-1BB costimulation augments the proliferation of CD4+CD25+ regulatory T cells. <u>J Immunol. 173 (4): 2428-34.</u>					
Storage	Store at +4°C or at -20°C if preferred. Storage in frost-free freezers is not recommended. This product should be stored undiluted. This product is photosensitive and should be protected from light. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.					
Shelf Life	18 months from date of despatch.					
Acknowledgements	This product may be used for research purposes only. It is not licensed for resale and may only be used by the buyer. This product may not be used and is not licensed for clinical assays, where the results of such assays are provided as a diagnostic service. If a diagnostic or therapeutic use is anticipated, then a license must be requested from the University of California. The availability of such diagnostic and therapeutic use license(s) cannot be guaranteed from the University of California.					
	This product is provided under an intellectual property licence from Life Technologies Corporation. The transfer of this product is contingent on the buyer using the purchase product solely in research, excluding contract research or any fee for service research, and the buyer must not sell or otherwise transfer this product or its components for (a) diagnostic, therapeutic or prophylactic purposes; (b) testing, analysis or screening services, or information in return for compensation on a per-test basis; (c) manufacturing or quality assurance or quality control, or (d) resale, whether or not resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad CA 92008 USA or outlicensing@thermofisher.com					
Health And Safety Information	Material Safety Datasheet documentation #10041 available at: 10041: https://www.bio-rad-antibodies.com/uploads/MSDS/10041.pdf					
Regulatory	For research purposes only					

## **Related Products**

### **Recommended Negative Controls**

HAMSTER (ARMENIAN) IgG NEGATIVE CONTROL:Alexa Fluor® 488 (MCA2356A488)

### **Recommended Useful Reagents**

MOUSE SEROBLOCK FcR (BUF041A) MOUSE SEROBLOCK FcR (BUF041B)

North & South	Tel: +1 800 265 7376	Worldwide	-
America	Fax: +1 919 878 3751		I
	Email: antibody_sales_	us@bio-rad.com	1

Tel: +44 (0)1865 852 700 **Europe** Fax: +44 (0)1865 852 739 Email: antibody\_sales\_uk@bio-rad.com Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody\_sales\_de@bio-rad.com

'M299870:170105'

#### Printed on 05 May 2018

© 2018 Bio-Rad Laboratories Inc | Legal | Imprint