

Datasheet: MCA532F

Description:	MOUSE ANTI HUMAN CD54:FITC
Specificity:	CD54
Other names:	ICAM-1
Format:	FITC
Product Type:	Monoclonal Antibody
Clone:	84H10
Isotype:	IgG1
Quantity:	100 TESTS

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	■			Neat

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Human		
Species Cross Reactivity	Reacts with: Dog N.B. Antibody reactivity and working conditions may vary between species.		
Product Form	Purified IgG conjugated to Fluorescein Isothiocyanate Isomer 1 (FITC) - liquid		
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)
	FITC	490	525
Preparation	Purified IgG prepared by affinity chromatography from ascites		
Buffer Solution	Phosphate buffered saline		
Preservative Stabilisers	0.1% Sodium Azide (NaN ₃)		
	0.2% Bovine Serum Albumin		
Immunogen	K562 cell line.		
External Database Links	UniProt: P05362 Related reagents		

Entrez Gene:[3383](#) ICAM1 [Related reagents](#)

Fusion Partners	Spleen cells from immunised BALB/c mice were fused with cells of the MOPC 315 mouse myeloma cell line.
Specificity	Mouse anti Human CD54 antibody, clone 84H10 recognizes the D1 domain of ICAM-1. It reacts with the ICAM-1 antigen found in low levels on lymphocytes and strongly expressed on monocytes and granulocytes. This molecule is inducible to high levels by mitogenic lectins on lymphocytes and by IL-1 beta or IFN gamma on other cell types such as fibroblasts and endothelial cells. Detects an antigen of 90kD. Mouse anti Human CD54 antibody, clone 84H10 has been reported to block ICAM1 mediated cellular adhesion and block binding of LFA-1 and <i>P. falciparum</i> to ICAM-1. Mouse anti Human CD54 antibody, clone 84H10 is routinely tested in flow cytometry on rat splenocytes.
Flow Cytometry	Use 20ul of the suggested working dilution to label 5×10^5 cells or 100ul of whole blood.
References	1. Makgoba, M.W. <i>et al.</i> (1988) ICAM-1 a ligand for LFA-1-dependent adhesion of B, T and myeloid cells. Nature. 331 (6151): 86-8. 2. Damle, N.K. <i>et al.</i> (1992) Intercellular adhesion molecule-2, a second counter-receptor for CD11a/CD18 (leukocyte function-associated antigen-1), provides a costimulatory signal for T-cell receptor-initiated activation of human T cells. J Immunol. 148 (3): 665-71. 3. de Fougerolles, A.R. & Springer, T.A. (1992) Intercellular adhesion molecule 3, a third adhesion counter-receptor for lymphocyte function-associated molecule 1 on resting lymphocytes. J Exp Med. 175 (1): 185-90. 4. Galkowska, H. <i>et al.</i> (1996) Reactivity of antibodies directed against human antigens with surface markers on canine leukocytes. Vet Immunol Immunopathol. 53 (3-4): 329-34. 5. Rothlein, R. <i>et al.</i> (1986) A human intercellular adhesion molecule (ICAM-1) distinct from LFA-1. J Immunol. 137 (4): 1270-4. 6. Dustin, M.L. <i>et al.</i> (1986) Induction by IL 1 and interferon-gamma: tissue distribution, biochemistry, and function of a natural adherence molecule (ICAM-1). J Immunol. 137 (1): 245-54. 7. Simmons, D. <i>et al.</i> (1988) ICAM, an adhesion ligand of LFA-1, is homologous to the neural cell adhesion molecule NCAM. Nature. 331 (6157): 624-7. 8. Berendt, A.R. <i>et al.</i> (1992) The binding site on ICAM-1 for <i>Plasmodium falciparum</i>-infected erythrocytes overlaps, but is distinct from, the LFA-1-binding site. Cell. 68 (1): 71-81. 9. Dyugovskaya, L. <i>et al.</i> (2002) Increased adhesion molecules expression and production of reactive oxygen species in leukocytes of sleep apnea patients. Am J Respir Crit Care Med. 165: 934-9. 10. Bergmann-Leitner, E.S. <i>et al.</i> (2000) Differential role of Fas/Fas ligand interactions in cytotoxicity of primary and metastatic colon carcinoma cell lines by human antigen-specific CD8+ CTL. J Immunol. 164: 4941-54. 11. Salvatierra, A. <i>et al.</i> (2001) Antithrombin III prevents early pulmonary dysfunction after lung transplantation in the dog. Circulation. 104: 2975-80. 12. Jonsson, A.S. and Palmblad, J.E. (2001) Effects of ethanol on NF-kappaB activation, production of myeloid growth factors, and adhesive events in human endothelial cells. J Infect Dis. 184: 761-9. 13. Chen, P.Y. <i>et al.</i> (2015) Endothelial-to-mesenchymal transition drives atherosclerosis progression. J Clin Invest. 125 (12): 4514-28.

14. Salipante, S.J. *et al.* (2016) Recurrent somatic loss of TNFRSF14 in classical Hodgkin lymphoma. [Genes Chromosomes Cancer. 55 \(3\): 278-87.](#)

Storage	Store at +4°C. DO NOT FREEZE. This product should be stored undiluted. This product is photosensitive and should be protected from light. Should this product contain a precipitate we recommend microcentrifugation before use.
Shelf Life	Please see label for expiry date.
Health And Safety Information	Material Safety Datasheet documentation #10304 available at: 10304: https://www.bio-rad-antibodies.com/uploads/MSDS/10304.pdf
Regulatory	For research purposes only

Related Products

Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL:FITC \(MCA928F\)](#)

Recommended Useful Reagents

[HUMAN SEROBLOCK \(BUF070A\)](#)

[HUMAN SEROBLOCK \(BUF070B\)](#)

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com
----------------------------------	---	------------------	---	---------------	---

'M309918:170913'

Printed on 01 May 2018

© 2018 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)