

Datasheet: MCA5434Z

Description:	MOUSE ANTI HUMAN INDOLEAMINE 2,3-DIOXYGENASE: Preservative Free		
Specificity:	INDOLEAMINE 2,3-DIOXYGENASE		
Other names:	IDO		
Format:	Preservative Free		
Product Type:	Monoclonal Antibody		
Clone:	4F9		
lsotype:	lgG2a		
Quantity:	0.1 mg		

Product Details

Applications	from testing within our labor the originators. Please refer	d publications or persor ed for further informatio	a. This information is derived ersonal communications from mation. For general protocol			
	recommendations, please v	Yes	No	Not Determined	Suggested Dilution	
	Western Blotting	•			0.1 - 10 ug/ml	
	Where this product has not	been test	ed for use i	n a particular technique	this does not necessarily	
	exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.					
Target Species	Human					
Product Form	Purified IgG - liquid					
Preparation	Purified IgG prepared by aff					
Buffer Solution	Phosphate buffered saline					
Preservative Stabilisers	None present					
Approx. Protein Concentrations	Ig concentration 0.5 mg/ml					
Immunogen	Recombinant protein corres	ponding t	o aa 304-40	3 of human Indoleamine	e 2,3-dioxygenase.	
External Database Links	UniProt: <u>P14902</u> <u>Related read</u> Entrez Gene:	<u>gents</u>				
	3620 IDO1 Related re	eagents				

Synonyms	IDO, INDO				
Fusion Partners	Spleen cells from BALB/c mice were fused with cells from the Sp2/0 myeloma cell line.				
Specificity	Mouse anti Human indoleamine 2,5-dioxygenase antibody, clone 4F9 recognizes human Indoleamine 2,3-dioxygenase 1, also known IDO-1. IDO-1 is a 403 amino acid ~50 kDa enzyme involved in tryptophan catabolism. IDO-1 is expressed in lymphoid organ dendritic cells and in some epithelial cells. It is not expressed in most tissues but expression is usually inducible by interferon γ (Taylor and Feng 1991). Mouse anti Human indoleamine 2,5-dioxygenase antibody, clone 4F9 binds to an epitope towards the c-terminal end of human indoleamine 2,5-dioxygenase.				
Storage	Store at -20°C only. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.				
Shelf Life	18 months from date of despatch.				
Health And Safety Information	Material Safety Datasheet documentation available at: Material Safety Datasheet Documentation #10162 available at: https://www.bio-rad-antibodies.com/uploads/MSDS/10162.pdf				
Regulatory	For research purposes only				

Related Products

Recommended Secondary Antibodies

	Goat Anti Mouse IgG (STAR76)	RPE				
Goat Anti Mouse IgG IgA IgM (STAR87) <u>Alk. Phos.</u> , <u>HRP</u>						
	Rabbit Anti Mouse IgG (STAR13)	HRP				
Goat Anti Mouse IgG (H/L) (STAR117)		Alk. Phos., DyLight®488, DyLight®549,				
		DyLight®649, DyLight®680, DyLight®800,				
		FITC, HRP				
	Rabbit Anti Mouse IgG (STAR9)	FITC				
	Goat Anti Mouse IgG (STAR77)	HRP				
	Rabbit Anti Mouse IgG (STAR12)	RPE				
	Goat Anti Mouse IgG (Fc) (STAR120)	FITC, HRP				
	Rabbit Anti Mouse IgG (STAR8)	DyLight®800				
	Goat Anti Mouse IgG (STAR70)	FITC				
	Human Anti Mouse IgG2a (HCA037)	FITC, HRP				
	Pacammandad Nagativa Controls					

Recommended Negative Controls

MOUSE IgG2a NEGATIVE CONTROL (MCA929)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Te
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fa
	Email: antibody_sales_us@bio-rad.com		Email: antibody_sales_uk@bio-rad.com		En

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com

'M309294:170823'

Printed on 14 Jan 2018

© 2018 Bio-Rad Laboratories Inc | Legal | Imprint