

Datasheet: MCA54G

Description:	MOUSE ANTI RAT CD43
Specificity:	CD43
Other names:	LEUKOSIALIN
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	W3/13
Isotype:	IgG1
Quantity:	1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	■			1/50 - 1/100
Immunohistology - Frozen	■			
Immunohistology - Paraffin (1)	■			
ELISA			■	
Immunoprecipitation			■	
Western Blotting			■	

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

(1) This product requires antigen retrieval using heat treatment prior to staining of paraffin sections.

Target Species	Rat
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide
Carrier Free	Yes
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml

Immunogen	Rat thymocyte membrane glycoproteins.
External Database Links	UniProt: P13838 Related reagents Entrez Gene: 24796 Spn Related reagents
Fusion Partners	Spleen cells from immunised BALB/c mice were fused with cells of the mouse NS1 myeloma cell line.
Specificity	Mouse anti Rat CD43 antibody, clone W3/13 recognizes the rat CD43 cell surface antigen, also known as leukosialin, sialophorin or W3/13 antigen. CD43 is a 371 amino acid ~95 kDa heavily glycosylated single pass type 1 transmembrane glycoprotein (Killeen <i>et al.</i> 1987) expressed by all leucocytes with the exception of B lymphocytes. CD43, in mice acts as a T-cell counter-receptor for CD169 (Siglec-1) suggesting a role in cell-cell interactions (van den Berg <i>et al.</i> 2001) Mouse anti Rat CD43 antibody, clone W3/13 is routinely tested in flow cytometry on rat splenocytes.
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul.
References	1. Brown, W.R.A. <i>et al.</i> (1981) Identification of a glycophorin-like molecule at the cell surface of rat thymocytes. Nature. 289: 456-460. 2. Barclay, A. N. (1981) The localization of populations of lymphocytes defined by monoclonal antibodies in rat lymphoid tissues. Immunology. 42: 593-600 3. Jung, S. <i>et al.</i> (1994) Therapeutic effect of transforming growth factor-beta 2 on actively induced EAN but not adoptive transfer EAN Immunology. 83: 545-551. 4. Bataller, R. <i>et al.</i> (2003) Prolonged infusion of angiotensin II into normal rats induces stellate cell activation and proinflammatory events in liver. Am J Physiol Gastrointest Liver Physiol. 285: G642-651 5. Yamanaka, Y. <i>et al.</i> (2011) Immunohistochemical analysis of subcutaneous tissue reactions to methacrylate resin-based root canal sealers. Int Endod J. 44: 669-75. 6. Schwab, J.M. <i>et al.</i> (2005) Spinal cord injury induces early and persistent lesional P2X4 receptor expression. J Neuroimmunol. 163: 185-9. 7. Conrad, S. <i>et al.</i> (2005) Prolonged lesional expression of RhoA and RhoB following spinal cord injury. J Comp Neurol. 487: 166-75. 8. Zhang, Z. <i>et al.</i> (2008) FTY720 ameliorates experimental autoimmune neuritis by inhibition of lymphocyte and monocyte infiltration into peripheral nerves. Exp Neurol. 210: 681-90. 9. Xu, K. <i>et al.</i> (2016) Expression of aryl hydrocarbon receptor in rat brain lesions following traumatic brain injury. Diagn Pathol. 11 (1): 72. 10. Dort, J. <i>et al.</i> (2016) Shrimp Protein Hydrolysate Modulates the Timing of Proinflammatory Macrophages in Bupivacaine-Injured Skeletal Muscles in Rats. Biomed Res Int. 2016: 5214561. 11. Zhang, Z.M. <i>et al.</i> (2016) Lesional accumulation of CD8(+) cells in sciatic nerves of experimental autoimmune neuritis rats. Neurol Sci. 37 (2): 199-203. 12. Rice, E.K. <i>et al.</i> (2003) Induction of MIF synthesis and secretion by tubular epithelial cells: a novel action of angiotensin II. Kidney Int. 63 (4): 1265-75.
Storage	Store at +4°C or at -20°C if preferred. This product should be stored undiluted.

Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

Shelf Life	18 months from date of despatch.
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: 10040: https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (STAR76...)	RPE
Goat Anti Mouse IgG IgA IgM (STAR87...)	Alk. Phos. , HRP
Rabbit Anti Mouse IgG (STAR9...)	FITC
Goat Anti Mouse IgG (STAR77...)	HRP
Rabbit Anti Mouse IgG (STAR12...)	RPE
Goat Anti Mouse IgG (Fc) (STAR120...)	FITC , HRP
Rabbit Anti Mouse IgG (STAR8...)	DyLight®800
Goat Anti Mouse IgG (STAR70...)	FITC
Rabbit Anti Mouse IgG (STAR13...)	HRP
Human Anti Mouse IgG1 (HCA036...)	HRP
Goat Anti Mouse IgG (H/L) (STAR117...)	Alk. Phos. , DyLight®488 , DyLight®549 , DyLight®649 , DyLight®680 , DyLight®800 , FITC , HRP

Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL \(MCA1209\)](#)

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com
----------------------------------	---	------------------	---	---------------	---

'M316080:180503'

Printed on 20 Jun 2018