

Datasheet: OBT1975X

Description:	MOUSE ANTI HUMAN HEPARANASE-1
Specificity:	HEPARANASE-1
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	HP3/17
Isotype:	IgG2b
Quantity:	0.15 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Immunohistology - Frozen			▪	
Immunohistology - Paraffin	▪			1/40
ELISA			▪	
Western Blotting	▪			1/4000

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human
Species Cross Reactivity	Reacts with: Mouse, Xenopus N.B. Antibody reactivity and working conditions may vary between species.
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein G
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.01% Thiomersal
Approx. Protein Concentrations	IgG concentration 4.0 mg/ml
Immunogen	Polypeptide from the 50 kDa subunit of heparanase.
External Database Links	UniProt:

[Q9Y251](#) [Related reagents](#)

Entrez Gene:

[10855](#) HPSE [Related reagents](#)

Synonyms	HEP, HPA, HPA1, HPR1, HPSE1, HSE1
-----------------	-----------------------------------

Specificity	<p>Mouse anti Human Heparanase-1 antibody, clone HP3/17 recognizes heparanase-1, also known as HPA1, an endo-beta-D-glucuronidase that degrades heparan sulfate proteoglycans (HSPGs) in the extracellular matrix through cleavage of the heparan sulfate side chains.</p> <p>Heparanase-1 is a heterodimer that is produced as a 65 kDa latent precursor, consisting of an 8 kDa subunit, a 50 kDa subunit and a linker peptide. Activation of Heparanase-1 occurs through cleavage of the linker peptide, releasing the 8 kDa subunit from the active 50 kDa subunit.</p> <p>Mouse anti Heparanase-1 has been reported to recognize heparanase-1 in xenopus by western blotting (Bertolesi et al. 2008)</p>
--------------------	--

Purity	98% by SDS PAGE
---------------	-----------------

Western Blotting	OBT1975X detects bands of approximately 50kDa (corresponding to the subunit containing the active site) and 65kDa (the precursor of heparanase-1) when purified recombinant human heparanase samples are used.
-------------------------	--

References	1. Stuart, H.M. <i>et al.</i> (2015) Urinary Tract Effects of HPSE2 Mutations. J Am Soc Nephrol. 26 (4): 797-804.
-------------------	---

Storage	<p>Store at +4°C or at -20°C if preferred.</p> <p>Storage in frost-free freezers is not recommended.</p> <p>This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.</p>
----------------	--

Shelf Life	18 months from date of despatch.
-------------------	----------------------------------

Health And Safety Information	<p>Material Safety Datasheet documentation available at:</p> <p>Material Safety Datasheet Documentation #10094 available at: https://www.bio-rad-antibodies.com/uploads/MSDS/10094.pdf</p>
--------------------------------------	--

Regulatory	For research purposes only
-------------------	----------------------------

Related Products

Recommended Secondary Antibodies

- Goat Anti Mouse IgG (STAR76...) [RPE](#)
- Goat Anti Mouse IgG IgA IgM (STAR87...) [Alk. Phos.](#), [HRP](#)
- Goat Anti Mouse IgG (H/L) (STAR117...) [Alk. Phos.](#), [DyLight@488](#), [DyLight@549](#), [DyLight@649](#), [DyLight@680](#), [DyLight@800](#), [FITC](#), [HRP](#)
- Rabbit Anti Mouse IgG (STAR9...) [FITC](#)
- Goat Anti Mouse IgG (STAR77...) [HRP](#)

Rabbit Anti Mouse IgG (STAR12...) [RPE](#)
Goat Anti Mouse IgG (Fc) (STAR120...) [FITC](#), [HRP](#)
Rabbit Anti Mouse IgG (STAR8...) [DyLight®800](#)
Goat Anti Mouse IgG (STAR70...) [FITC](#)
Rabbit Anti Mouse IgG (STAR13...) [HRP](#)
Human Anti Mouse IgG2b (HCA038...) [FITC](#), [HRP](#)

Recommended Negative Controls

[MOUSE IgG2b NEGATIVE CONTROL \(MCA691\)](#)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

'M269451:150403'

Printed on 03 Apr 2018

© 2018 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)