

Datasheet: STAR137

Description:	GOAT ANTI MOUSE IgA
Specificity:	IgA
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	0.5 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			■	
Immunohistology - Frozen			■	
Immunohistology - Paraffin			■	
ELISA	■			
Immunoprecipitation			■	
Western Blotting			■	

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Mouse
Species Cross Reactivity	Reacts with: Rat Does not react with: Human N.B. Antibody reactivity and working conditions may vary between species.
Product Form	Purified IgG - liquid
Antiserum Preparation	Antisera to mouse IgA were raised by repeated immunisation of goats with purified antigen. Purified IgG was prepared from whole serum by affinity chromatography.
Buffer Solution	Borate buffered saline
Preservative Stabilisers	0.09% Sodium Azide
Approx. Protein Concentrations	IgG concentration 1.0mg/ml
Immunogen	Mouse IgA paraproteins.

**External Database
Links**

UniProt:

[P01878](#) [Related reagents](#)

Entrez Gene:

[16061](#) Igh-VJ558 [Related reagents](#)

Specificity

Goat anti Mouse IgA antibody recognizes Mouse IgA and has been cross absorbed against mouse IgM, IgG1, IgG2a, IgG2b and IgG3.

References

1. Capoccia, B.J. *et al.* (2011) Transcription factor MIST1 in terminal differentiation of mouse and human plasma cells. [Physiol Genomics. 43 \(3\): 174-86.](#)
2. Yamashita, H. *et al* (2012) Overcoming food allergy through acquired tolerance conferred by transfer of Tregs in a murine model. [Allergy. 67: 201-9.](#)
3. Won, Y.S. *et al.* (2017) Green tea cultivar 'Benifuuki' potentiates split vaccine-induced immunoglobulin A production. [J Nat Med. 71 \(1\): 68-75.](#)
4. Ramstead, A.G. *et al.* (2016) Roles of Toll-Like Receptor 2 (TLR2), TLR4, and MyD88 during Pulmonary *Coxiella burnetii* Infection. [Infect Immun. 84 \(4\): 940-9.](#)

Storage

Store at +4°C or at -20°C if preferred.

This product should be stored undiluted.

Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

Shelf Life

18 months from date of despatch.

**Health And Safety
Information**

Material Safety Datasheet documentation available at:
Material Safety Datasheet Documentation #10077 available at:
<https://www.bio-rad-antibodies.com/uploads/MSDS/10077.pdf>

Regulatory

For research purposes only

Related Products

Recommended Secondary Antibodies

Rabbit Anti Goat IgG (Fc) (STAR122...) [FITC](#), [HRP](#)

**North & South
America**

Tel: +1 800 265 7376
Fax: +1 919 878 3751
Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700
Fax: +44 (0)1865 852 739
Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21
Fax: +49 (0) 89 8090 95 50
Email: antibody_sales_de@bio-rad.com

'M314131:180412'

Printed on 13 Apr 2018