

Datasheet: STAR120F

Description:	GOAT ANTI MOUSE IgG (Fc):FITC
Specificity:	IgG (Fc)
Format:	FITC
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			1/50 - 1/500
Immunohistology - Frozen	▪			1/50 - 1/500
Immunohistology - Paraffin			▪	

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Mouse						
Product Form	Purified IgG conjugated to Fluorescein Isothiocyanate Isomer 1 (FITC) - liquid						
Max Ex/Em	<table border="1"> <thead> <tr> <th>Fluorophore</th> <th>Excitation Max (nm)</th> <th>Emission Max (nm)</th> </tr> </thead> <tbody> <tr> <td>FITC</td> <td>490</td> <td>525</td> </tr> </tbody> </table>	Fluorophore	Excitation Max (nm)	Emission Max (nm)	FITC	490	525
Fluorophore	Excitation Max (nm)	Emission Max (nm)					
FITC	490	525					

Antiserum Preparation Antisera to mouse IgG were raised by repeated immunisations of goats with highly purified antigen. Purified IgG was prepared from whole serum by affinity chromatography.

Buffer Solution	Phosphate buffered saline
Preservative	0.09% Sodium Azide
Stabilisers	0.2% Bovine Serum Albumin
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml

External Database Links

UniProt:	
P01869	Related reagents
P01865	Related reagents
P03987	Related reagents

[P01867](#) [Related reagents](#)
[P01864](#) [Related reagents](#)
[P01868](#) [Related reagents](#)
[P01863](#) [Related reagents](#)

Entrez Gene:

[16017](#) Ighg1 [Related reagents](#)
[380793](#) Igh-1a [Related reagents](#)
[16016](#) Ighg2b [Related reagents](#)
[16017](#) Ighg1 [Related reagents](#)
[380793](#) Igh-1a [Related reagents](#)
[380795](#) AI324046 [Related reagents](#)
[380793](#) Igh-1a [Related reagents](#)

Synonyms

Igh-4

Specificity

Goat anti mouse IgG (Fc) polyclonal antibody reacts with mouse IgG at an epitope localised to the Fc region as assessed by immunoelectrophoresis and ELISA. Cross reactivity with IgA and IgM is negligible.

Goat anti mouse IgG (Fc) polyclonal antibody may cross react with IgG from other species.

Flow Cytometry

Use 50ul of the suggested working dilution to label 10⁶ cells in 100ul.

References

1. Nejsum, P. *et al.* (2009) Population dynamics of *Trichuris suis* in trickle-infected pigs. [Parasitology. 136: 691-7.](#)
2. Yuan, T. *et al.* (2010) Chondrogenic differentiation and immunological properties of mesenchymal stem cells in collagen type I hydrogel. [Biotechnol Prog. 26 \(6\): 1749-58.](#)
3. Wegmann, F. *et al.* (2011) A Novel Strategy for Inducing Enhanced Mucosal HIV-1 Antibody Responses in an Anti-Inflammatory Environment [PLoS One. 6\(1\):e15861.](#)
4. Wegmann F *et al.* (2015) The carbomer-lecithin adjuvant Adjuplex™ has potent immune activating properties and elicits protective adaptive immunity against influenza challenge in mice. [Clin Vaccine Immunol. pii: CVI.00736-14.](#)
5. Liu, Z. *et al.* (2015) Partial protective immunity against toxoplasmosis in mice elicited by recombinant *Toxoplasma gondii* malate dehydrogenase [Vaccine Oct 27 \[Epub ahead of print\]](#)
6. Swaffer, M.P. *et al.* (2016) CDK Substrate Phosphorylation and Ordering the Cell Cycle. [Cell. 167 \(7\): 1750-1761.e16.](#)
7. Trindade, A.B. *et al.* (2017) Mesenchymal-like stem cells in canine ovary show high differentiation potential. [Cell Prolif. Oct 08 \[Epub ahead of print\].](#)

Storage

Store at +4°C. DO NOT FREEZE.

This product should be stored undiluted. This product is photosensitive and should be protected from light. Should this product contain a precipitate we recommend microcentrifugation before use.

Shelf Life

12 months from date of despatch.

Health And Safety Information

Material Safety Datasheet documentation #10041 available at:
10041: <https://www.bio-rad-antibodies.com/uploads/MSDS/10041.pdf>

Regulatory

For research purposes only

North & South America Tel: +1 800 265 7376
Fax: +1 919 878 3751
Email: antibody_sales_us@bio-rad.com

Worldwide Tel: +44 (0)1865 852 700
Fax: +44 (0)1865 852 739
Email: antibody_sales_uk@bio-rad.com
'M314295:180412'

Europe Tel: +49 (0) 89 8090 95 21
Fax: +49 (0) 89 8090 95 50
Email: antibody_sales_de@bio-rad.com

Printed on 02 May 2018

© 2018 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)