

Datasheet: STAR71D649GA

Description:	GOAT ANTI RAT IgG:DyLight®649 (MOUSE ADSORBED)		
Specificity:	IgG (MOUSE ADSORBED)		
Format:	DyLight®649		
Product Type:	Polyclonal Antibody		
lsotype:	Polyclonal IgG		
Quantity:	0.1 mg		

Product Details

 Applications
 This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	-			1/100 - 1/500
Immunofluorescence	-			1/100 - 1/500
Where this antibody has n	ot been tes	sted for use	e in a particular technique	this does not necessarily
exclude its use in such pro	ocedures. It	t is recomn	nended that the user titrat	tes the antibody for use in
their own system using ap	propriate n	egative/pos	sitive controls.	

Target Species	Rat				
Product Form	Purified IgG conjugate				
Max Ex/Em	Fluorophore Dylight®649	Excitation Max (nm) 654	Emission Max (nm) 673		
Antiserum Preparation	Antisera to rat IgG were raised by repeated immunisation of goats with highly purified antigen. Purified IgG prepared by affinity chromatography				
Buffer Solution	Phosphate buffered s				
Preservative Stabilisers	0.09% Sodium Azide				
Approx. Protein Concentrations	IgG concentration 1.0				
Immunogen	Rat IgG				
External Database Links	UniProt:				

P2075	9 Related reagents
P2076	2 Related reagents
P2076	1 Related reagents

P20760 Related reagents **Entrez Gene:** 299354 Ighg Related reagents 362795 LOC362795 **Related reagents** 679045 LOC679045 Related reagents Specificity Goat anti Rat IgG (Mouse Adsorbed) antibody recognizes rat IgG. Cross-reactivity with mouse IgG has been minimised by adsorption. **Flow Cytometry** Use 50ul of the suggested working dilution to label 1x10⁶ cells in 100ul. References 1. Yang, X. et al. (2010) The role of the JAK2-STAT3 pathway in pro-inflammatory responses of EMF-stimulated N9 microglial cells. J Neuroinflammation. 7: 54. 2. Tamayo, J. et al. (2001) Chemical sensors and biosensors in liquid environment based on microcantilevers with amplified quality factor. Ultramicroscopy. 86: 167-73. 3. Pérez-Bosque A et al. (2004) Dietary plasma protein affects the immune response of weaned rats challenged with S. aureus Superantigen B. J Nutr. 134: 2667-72. 4. Balan, P. et al. (2010) Immunomodulatory effects of ovine serum immunoglobulin in the growing rat. Animal. 4: 1702-8. Storage Store at +4°C or at -20°C if preferred. This product should be stored undiluted. Storage in frost free freezers is not recommended. This product is photosensitive and should be protected from light. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use. Shelf Life 18 months from date of despatch. DyLight[®] is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. Acknowledgements **Health And Safety** Material Safety Datasheet documentation #10040 available at: Information 10040: https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf Regulatory For research purposes only North & South Tel: +1 800 265 7376 Tel: +44 (0)1865 852 700 Tel: +49 (0) 89 8090 95 21 Worldwide Europe Fax: +49 (0) 89 8090 95 50 America Fax: +1 919 878 3751 Fax: +44 (0)1865 852 739 Email: antibody_sales_us@bio-rad.com Email: antibody_sales_uk@bio-rad.com Email: antibody_sales_de@bio-rad.com 'M314264:180412'

Printed on 22 Jun 2018

© 2018 Bio-Rad Laboratories Inc | Legal | Imprint