Datasheet: VMA00318

Description:	MOUSE ANTI DAXX
Specificity:	DAXX
Format:	Purified
Product Type:	PrecisionAb™ Monoclonal
Isotype:	IgG1
Quantity:	100 µl

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	▪			1/1000

PrecisionAb antibodies have been extensively validated for the western blot application. The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.

Target Species

Human

Product Form

Purified IgG - liquid

Preparation

Mouse monoclonal antibody prepared by affinity chromatography on Protein G from ascites

Buffer Solution

Phosphate buffered saline

Preservative Stabilisers

0.09% Sodium Azide (NaN_3)

Immunogen

Purified recombinant fragment of human DAXX expressed in *E. coli*

External Database Links

UniProt:
Q9UER7 Related reagents

Entrez Gene:
1616 DAXX Related reagents

Synonyms

BING2, DAP6

Specificity

Mouse anti Human DAXX antibody recognizes the death domain-associated protein 6, also known as CENP-C binding protein, ETS1-associated protein 1, Fas-binding protein, death-associated protein 6 and fas death domain-associated protein.

Encoded by the DAXX gene, death domain-associated protein 6 is a multifunctional protein that resides in multiple locations in the nucleus and in the cytoplasm. It interacts with a wide variety of proteins, such as apoptosis antigen Fas, centromere protein C, and transcription factor erythroblastosis virus E26 oncogene homolog 1. In the nucleus, the encoded protein functions as a potent transcription repressor that binds to sumoylated transcription factors. Its repression can be relieved by the sequestration of this protein into promyelocytic leukemia nuclear bodies or nucleoli. This protein also associates with centromeres in G2 phase. In the cytoplasm, the encoded protein may function to regulate apoptosis. The subcellular localization and function of this protein are modulated by post-translational modifications, including sumoylation, phosphorylation and polyubiquitination. Alternative splicing results in multiple transcript variants (provided by RefSeq, Nov 2008).

Mouse anti Human DAXX antibody detects a band of 110 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.

Western Blotting	Anti DAXX detects a band of approximately 110 kDa in K562 cell lysates
Instructions For Use	Please refer to the PrecisionAb western blotting protocol. For additional information on secondary antibody dilution and exposure time see product web page.
Storage	Store undiluted at -20°C, avoiding repeated freeze thaw cycles.
Shelf Life	As supplied, 12 months from date of despatch.
Acknowledgements	PrecisionAb™ is a trademark of Bio-Rad Laboratories.
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: Antibody (10040): https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (H/L) (STAR207...) HRP

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL (MCA928)

North & South America Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com

Worldwide Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com

Europe Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com

'M307079:170707'

Printed on 01 May 2018

© 2018 Bio-Rad Laboratories Inc | Legal | Imprint