

Datasheet: VMA00027

Description:	MOUSE ANTI SOCS-3
Specificity:	SOCS-3
Other names:	Supressor of Cytokine Signaling 3
Format:	Purified
Product Type:	PrecisionAb™ Monoclonal
Isotype:	IgG2b
Quantity:	100 µl

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	■			1/1000

PrecisionAb antibodies have been extensively [validated for the western blot application](#). The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.

Target Species	Human
Species Cross Reactivity	Reacts with: Mouse N.B. Antibody reactivity and working conditions may vary between species.
Product Form	Purified IgG - liquid
Preparation	Mouse monoclonal antibody purified by affinity chromatography on Protein A from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)
Immunogen	Full length SOCS-3 protein
External Database Links	UniProt: O14543 Related reagents Entrez Gene: 9021 SOCS3 Related reagents

Synonyms	CIS3, SSI3
Specificity	Mouse anti Human SOCS-3 antibody recognizes the human suppressor of cytokine signaling 3 protein, also known as SOCS-3, cytokine-inducible SH2 protein 3 or STAT-induced STAT inhibitor 3. SOCS-3 is a 225 amino acid member of the suppressor of cytokine signaling family (Starr et al. 1997) containing a single SH2 and a single SOCS box domain. SOCS-3 acts as a negative regulator of janus kinase (JAK) and signal transducer and activators of transcription (STAT) signaling pathways. SOCS-3 specifically acts as a negative feedback regulator for the STAT3 pathways, by directly binding to the Tyr-759 motif of the IL-6 signal-transducing receptor subunit gp130, thereby preventing the IL-6 activation of STAT3. The expression of SOCS-3 is inducible by numerous factors, including IL-6, IL-10, toll-like receptor (TLR) agonists and interferon (IFN) gamma, making this protein the focus of research into inflammatory diseases such as arthritis, colitis and Crohn's disease (Elliott and Johnstone 2004). SOCS-3 expression has also been shown to affect IFN alpha sensitivity in tumor studies (Brender et al. 2001). Notch signaling plays a critical role in the determination of M1 versus M2 macrophage polarization. RBPJ-mediated notch signaling regulates this polarization through SOCS-3 (Narayana and Balaji 2008, Schroeder and Just 2000). Mouse anti Human SOCS-3 antibody recognizes human SOCS-3 as a single band of ~25 kDa in MCF7 cell lysates by western blotting under reducing conditions. This antibody also cross reacts with SOCS-3 from murine cell lines.
Western Blotting	Anti SOCS-3 antibody detects a band of approximately 25 kDa in MCF7 cell lysates.
Instructions For Use	Please refer to the PrecisionAb western blotting protocol . For additional information on secondary antibody dilution and exposure time see product web page.
Storage	Store undiluted at -20°C, avoiding repeated freeze thaw cycles.
Shelf Life	As supplied, 12 months from date of despatch.
Acknowledgements	PrecisionAb™ is a trademark of Bio-Rad Laboratories.
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: Antibody (10040): https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (H/L) (STAR207...) [HRP](#)

Recommended Negative Controls

[MOUSE IgG2b NEGATIVE CONTROL \(MCA691\)](#)

'M284448:160321'

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

Printed on 02 May 2018

© 2018 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)