Datasheet: VPA00173

Description:	RABBIT ANTI HISTONE DEACETYLASE 5
Specificity:	HISTONE DEACETYLASE 5
Format:	Purified
Product Type:	PrecisionAb™ Polyclonal
Isotype:	Polyclonal IgG
Quantity:	100 µl

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	▪			1/1000

PrecisionAb antibodies have been extensively validated for the western blot application. The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.

Target Species

Human

Product Form

Purified IgG - liquid

Preparation

Rabbit polyclonal antibody purified by affinity chromatography

Buffer Solution

Phosphate buffered saline

Preservative Stabilisers

0.09% Sodium Azide (NaN_3)
<50% Glycerol

Immunogen

Synthetic peptide corresponding to the internal region surrounding amino acid 661 of human histone deacetylase 5

External Database Links

UniProt:
Q9UQL6 Related reagents

Entrez Gene:
10014 HDAC5 Related reagents

Synonyms

KIAA0600

Specificity

Rabbit anti Human histone deacetylase 5 antibody recognizes histone deacetylase 5, also known as HDAC5 and antigen NY-CO-9.

	Histones play a critical role in transcriptional regulation, cell cycle progression, and developmental events. Histone acetylation/deacetylation alters chromosome structure and affects transcription factor access to DNA. The protein encoded by HDAC5 belongs to the class II histone deacetylase/acuc/apha family. It possesses histone deacetylase activity and represses transcription when tethered to a promoter. It coimmunoprecipitates only with HDAC3 family member and might form multicomplex proteins. It also interacts with myocyte enhancer factor-2 (MEF2) proteins, resulting in repression of MEF2-dependent genes. HDAC5 is thought to be associated with colon cancer. Two transcript variants encoding different isoforms have been found for HDAC5 (provided by RefSeq, Jul 2008). Rabbit anti Human histone deacetylase 5 antibody detects a band of 124 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.
Western Blotting	Anti histone deacetylase 5 detects a band of approximately 124 kDa in Jurkat cell lysates.
Instructions For Use	Please refer to the PrecisionAb western blotting protocol. For additional information on secondary antibody dilution and exposure time see product web page.
Storage	Store undiluted at -20°C, avoiding repeated freeze thaw cycles.
Shelf Life	As supplied, 12 months from date of despatch.
Acknowledgements	PrecisionAb™ is a trademark of Bio-Rad Laboratories.
Health And Safety Information	Material Safety Datasheet documentation #10049 available at: Antibody (10049): https://www.bio-rad-antibodies.com/uploads/MSDS/10049.pdf
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Rabbit IgG (H/L) (STAR208...) HRP

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	**Worldwide**	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	**Europe**	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com

'M284897:160321'

Printed on 29 Jun 2018

© 2018 Bio-Rad Laboratories Inc | Legal | Imprint